

**HARD HAT
&
ACCESSORIES**

HARD HAT & ACCESSORIES


• MU-27105



- Material: PE
- Without Vent
- Suspension: 6-Point Nylon Suspension, Ratchet
- CE EN397, electrical insulation: 440V
- Color: ●●●●●●
- Optional: Chin Starp



*6-Point Nylon Suspension (Ratchet)



MU-28104



• Suspension Optios

Fit Suspensions	Specification
MU-28102	6-Point, PE, Pin-Lock Type
MU-28103	6-Point, Nylon Webbing, Pin-Lock Type
MU-28104	6-Point, Nylon Webbing, Knob Ratchet Type

• MU-27106



- Material: ABS
- Without Vent
- Suspension: 6-Point Nylon Suspension, Ratchet
- CE EN397, electrical insulation: 440V
- ANSI Z89.1, hard Hat classes E: 20,000 volts
- Color: ●●●●●●
- Optional: Chin Starp



*6-Point Nylon Suspension (Ratchet)



MU-28104



• Suspension Optios

Fit Suspensions	Specification
MU-28102	6-Point, PE, Pin-Lock Type
MU-28103	6-Point, Nylon Webbing, Pin-Lock Type
MU-28104	6-Point, Nylon Webbing, Knob Ratchet Type

HARD HAT & ACCESSORIES

• MU-27120

CE EN397

ANSI Z89.1

- High Density (PP) Polypropylene Shell
- With 2 Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, Hard Hat Classes: C
- Color:
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28160



MU-28161



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28160	4-Point, PE, Pin-Lock T type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type

• MU-27121

ANSI Z89.1

- High Density (PP) Polypropylene Shell
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color:
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28160



MU-28161



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28160	4-Point, PE, Pin-Lock T type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type

HARD HAT & ACCESSORIES

• MU-27122

CE EN397

ANSI Z89.1

- High Density (PP) Polypropylene Shell
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28160



MU-28161



MU-28162



MU-28163



Pin-Lock Type



Knob Ratchet Type

*U-brim Design



Fit Suspensions

Specification

MU-28160	4-Point, PE, Pin-Lock Type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock Type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28162	6-Point, PE, Pin-Lock T type
MU-28162R	6-Point, PE, Knob Ratchet Type
MU-28163	6-Point, Nylon Webbing, Pin-Lock T type

• MU-27123 (PP)

• MU-27124 (ABS)

CE EN397

ANSI Z89.1

- MU-27123: High Density (PP) Polypropylene Shell
- MU-27124: ABS Shell, the same sharp as MU-27123
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28160



MU-28161



MU-28162



MU-28163



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28160	4-Point, PE, Pin-Lock Type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock Type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28162	6-Point, PE, Pin-Lock T type
MU-28162R	6-Point, PE, Knob Ratchet Type
MU-28163	6-Point, Nylon Webbing, Pin-Lock T type

HARD HAT & ACCESSORIES

• MU-27125



- High Density (PP) Polypropylene Shell
- With 6 Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, Hard Hat Classes: C
- Color:
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28160



MU-28161



MU-28162



MU-28163



Pin-Lock Type



Knob Ratchet Type



Fit Suspensions

Specification

MU-28160	4-Point, PE, Pin-Lock T ype
MU-28160R	4-Point, PE, Knob Ratchet T ype
MU-28161	4-Point, Nylon Webbing, Pin-Lock T ype
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T ype
MU-28162	6-Point, PE, Pin-Lock T ype
MU-28162R	6-Point, PE, Knob Ratchet T ype
MU-28163	6-Point, Nylon Webbing, Pin-Lock T ype

• MU-27126



- High Density (PP) Polypropylene Shell
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color:
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28160



MU-28161



MU-28162



MU-28163



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28160	4-Point, PE, Pin-Lock T ype
MU-28160R	4-Point, PE, Knob Ratchet T ype
MU-28161	4-Point, Nylon Webbing, Pin-Lock T ype
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T ype
MU-28162	6-Point, PE, Pin-Lock T ype
MU-28162R	6-Point, PE, Knob Ratchet T ype
MU-28163	6-Point, Nylon Webbing, Pin-Lock T ype

HARD HAT & ACCESSORIES

• MU-27127



- High Density (PP) Polypropylene Shell
- With 12 Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, Hard Hat Classes: C
- Color:
- Optional: Chin Starp



*4-Point PE Suspension (Pin-lock)

• Suspension Optios



MU-28164



MU-28165



MU-28166



MU-28167



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet Type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet Type
MU-28166	6-Point, PE, Pin-Lock T type
MU-28166R	6-Point, PE, Knob Ratchet Type
MU-28167	6-Point, Nylon Webbing, Pin-Lock T type
MU-28167R	6-Point, Nylon Webbing, Knob Ratchet Type

• MU-27128



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color:
- Optional: Chin Starp



*6-Point Nylon Suspension (Ratchet)

• Suspension Optios



MU-28164



MU-28165



MU-28166



MU-28167



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet Type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet Type
MU-28166	6-Point, PE, Pin-Lock T type
MU-28166R	6-Point, PE, Knob Ratchet Type
MU-28167	6-Point, Nylon Webbing, Pin-Lock T type
MU-28167R	6-Point, Nylon Webbing, Knob Ratchet Type

HARD HAT & ACCESSORIES

• MU-27129



- High Density (PP) Polypropylene Shell
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Starp



*6-Point PE Suspension (Ratchet)

• Suspension Optios



MU-28164



MU-28165



MU-28166



MU-28167



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet Type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28166	6-Point, PE, Pin-Lock T type
MU-28166R	6-Point, PE, Knob Ratchet T type
MU-28167	6-Point, Nylon Webbing, Pin-Lock T type
MU-28167R	6-Point, Nylon Webbing, Knob Ratchet T type

• MU-27130



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Starp



*6-Point Nylon Suspension (Pin-lock)

• Suspension Optios



MU-28168



MU-28169



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28168	4-Point, Nylon Webbing, Pin-Lock T type
MU-28168R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28169	6-Point, Nylon Webbing, Pin-Lock T type
MU-28169R	6-Point, Nylon Webbing, Knob Ratchet T type

HARD HAT & ACCESSORIES

• MU-27133

CE EN397

ANSI Z89.1

- High Density (PP) Polypropylene Shell
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Starp



*4-Point Nylon Suspension (Ratchet)

• Suspension Optios



MU-28164



MU-28165



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet T type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet T type

• MU-27150(ABS)

• MU-27151 (PE)

CE EN397

ANSI Z89.1

- MU-27150: ABS Shell
- MU-27151: Polypropylene(PP) Shell, The Same Sharp as MU-27150
- Without Vent
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Starp



*6-Point PE Suspension (Ratchet)

• Suspension Optios



MU-28502



MU-28504



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions

Specification

MU-28501	4-Point, Nylon Webbing, Knob Ratchet Type
MU-28502	4-Point, Nylon Webbing, Pin-Lock T type
MU-28503	6-Point, Nylon Webbing, Knob Ratchet Type
MU-28504	6-Point, Nylon Webbing, Pin-Lock T type

HARD HAT & ACCESSORIES

• MU-27161



- Material: ABS+PC
- Special Breathable Design
- 4 Point Nylon Suspension Knob Ratchet Type
- CE EN397
- ANSI Z89.1
- Color: ● ● ●
- Optional: Chin Starp



Knob Ratchet Type



*4-Point Nylon Suspension (Ratchet)

*Special Breathable Design



• Chin Starp



MU-28206 (Woven)

Fit Chin Strap

Specification

MU-28206

Woven, 4-point Y type, Clip-On Type, With Buckle


• MU-27162



- Material: PE Shell
- Streamline design
- Without Vent
- Suspension: 6-Point, Nylon Webbing, Knob Ratchet
- CE EN397
- ANSI Z89.1
- Color: ● ● ●
- Optional: Chin Starp



*6-Point Nylon Suspension (Push button)



HARD HAT & ACCESSORIES

• MU-27163

CE EN397

ANSI Z89.1

- Material:ABS (HDPE for optional)
- 6 Vents Design
- 6 Point Nylon and Leather Suspension Push Button Type
- CE EN397
- ANSI Z89.1
- Color: ● ● ● ● ● ●
- Optional: Chin Starp



*6-Point Nylon Suspension (Push button)

• MU-27164

CE EN397

ANSI Z89.1

Full Brim Safety Helmet

- Material: PP
- Without Vent
- Suspension: 4-Point, PE, Knob Ratchet
- CE EN397
- ANSI Z89.1
- Color: ● ●
- Optional: Chin Starp



Knob Ratchet Type

• Chin Starp



MU-28206 (Woven)

*4-Point PE Suspension (Ratchet)

Fit Chin Strap

Specification

MU-28206

Woven, 4-point Y type, Clip-On T type, With Buckle

HARD HAT & ACCESSORIES

• MU-27134

CE EN397

ANSI Z89.1

- Climbing Cap Shape Safety Helmet
- Material: ABS
- Suspension: 6-Point, Nylon Webing, Knob Ratchet
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●
- Optional: Chin Starp



*Packaging



HARD HAT & ACCESSORIES

• Chin Strap



MU-28101 (Woven)



MU-28202 (Woven)



MU-28204 (Elastic)



MU-28205 (Woven)



MU-28206 (Woven)

Fit Chin Strap	Specification	Fit Hard Hats
MU-28101	Woven, Clip-On Type, EN397, ANSI Z89.1	2-Point Connection Type Hard Hat
MU-28202	Woven, Clip-On Type	2-Point Connection Type Hard Hat
MU-28204	Elastic, Clip-On Type	2-Point Connection Type Hard Hat
MU-28205	Woven, Clip-On Type, With Buckle	2-Point Connection Type Hard Hat
MU-28206	Woven, 4-point Y type, Clip-On Type, With Buckle	4-Point Connection Type Hard Hat

