



**MUSSE**  **PPE**  
PERSONAL PROTECTIVE EQUIPMENT



# CONTENTS

PPE Product	Page
Hard Hat   Safety Helmet	2-11
Hard Hat Chin Strap	12
Bump Cap	13
Safety Glasses	14-26
Safety Goggles	27-29
Welding Goggles	30
Ski Goggles	31-33
Welding Helmet	34-37
Visor Bracket	38-39
Visor	40-43
Brow Guard	44-45
Face Shield	46-48
N95 Mask	49-51
N99 Mask & P95 Mask & R95 Mask	52
FFP1 Mask	53
FFP2 & FFP3 Mask	54
Disposable Mask	55
Kids Mask	56
3D Mask Bracket & Adjustable Mask Extender	57
Earmuffs	58-60
Earmuffs For Helmet	61
Earplugs	62-63
Back Support Belt	64
Safety Hood	65
Safety Vest	66-67
Safety Helmet Neck Sunshade	67
Working Gloves	68
Furniture leather Gloves	69-70
Welding Gloves	71-73
Latex Coating Gloves	74-75
Natural Latex Gloves	75
Anti-Cut Gloves	76
NBR Gloves	77-78
Nitrile & Waterbase PU Palm Coating Gloves	79
PU Coating Gloves	80
Knee Brace	81

Road Safety Product	Page
PVC Traffic Cone	82-83
Black Base PVC Traffic Cone	84-88
PE Traffic Cone	89
Traffic Cone Bar	90
Traffic Cone Topper	91
Caution Board & Delineator Post	92
Plastic Chain	93-95
S Hook	96
Traffic Cone Ring	97
Repair Links	98
Lock Snap Hook	99
Swivel Eye Snap Hook	100
Ramp	101
Triangle Wheel Chock	102
Emergency Eyewash & Shower Equipment	103
Safety Harness	104-105
Rescue Tripod	106
Retractable Lifeline	107
Karabiner	108
Snap Hook	109
Warning Light   Baracade Lamp	110-112
Barrier	113
Cable Protector	114
Warning Triangle	115
T top bollard	116

# HARD HAT & ACCESSORIES

## • MU-27105



- Material: PE
- Without Vents
- Suspension: 6-Point Nylon Suspension, Ratchet
- CE EN 397, Electrical Insulation: 440V
- Color: ●●●●●●
- Optional: Chin Strap



\*6-Point Nylon Suspension (Ratchet)



MU-28104



### •Suspension Options

Fit Suspensions	Specification
MU-28102	6-Point, PE, Pin-Lock T type
MU-28103	6-Point, Nylon Webbing, Pin-Lock T type
MU-28104	6-Point, Nylon Webbing, Knob Ratchet T type

## • MU-27106



- Material: ABS
- Without Vents
- Suspension: 6-Point Nylon Suspension, Ratchet
- CE EN 397, Electrical Insulation: 440V
- ANSI Z89.1, Hard Hat Classes E: 20,000 volts
- Color: ●●●●●●
- Optional: Chin Strap



\*6-Point Nylon Suspension (Ratchet)



MU-28104



### •Suspension Options

Fit Suspensions	Specification
MU-28102	6-Point, PE, Pin-Lock T type
MU-28103	6-Point, Nylon Webbing, Pin-Lock T type
MU-28104	6-Point, Nylon Webbing, Knob Ratchet T type

# HARD HAT & ACCESSORIES

## • MU-27120



- High Density (PP) Polypropylene Shell
- With 2 Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes: C
- Color: ●●●●●●●●
- Optional: Chin Strap



\*4-Point PE Suspension (Pin-lock)

### •Suspension Options



Fit Suspensions	Specification
MU-28160	4-Point, PE, Pin-Lock Type
MU-28160R	4-Point, PE, Knob Ratchet Type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type

## • MU-27121



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Strap



\*4-Point PE Suspension (Pin-lock)

### •Suspension Options



Fit Suspensions	Specification
MU-28160	4-Point, PE, Pin-Lock Type
MU-28160R	4-Point, PE, Knob Ratchet Type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type

# HARD HAT & ACCESSORIES

## • MU-27122




- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Strap



\*4-Point PE Suspension (Pin-lock)

### •Suspension Options



\*U-brim Design

Fit Suspensions	Specification
MU-28160	4-Point, PE, Pin-Lock Type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28162	6-Point, PE, Pin-Lock Type
MU-28162R	6-Point, PE, Knob Ratchet T type
MU-28163	6-Point, Nylon Webbing, Pin-Lock T type

## • MU-27123 (PP)


## • MU-27124 (ABS)



- MU-27123: High Density (PP) Polypropylene Shell
- MU-27124: ABS Shell, The Same Sharp As MU-27123
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Strap



### •Suspension Options



\*4-Point PE Suspension (Pin-lock)

Fit Suspensions	Specification
MU-28160	4-Point, PE, Pin-Lock T type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28162	6-Point, PE, Pin-Lock T type
MU-28162R	6-Point, PE, Knob Ratchet T type
MU-28163	6-Point, Nylon Webbing, Pin-Lock T type

# HARD HAT & ACCESSORIES

## • MU-27125




- High Density (PP) Polypropylene Shell
- With 6 Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes: C
- Color: ●●●●●●
- Optional: Chin Strap



\*4-Point PE Suspension (Pin-lock)



### •Suspension Options



Fit Suspensions	Specification
MU-28160	4-Point, PE, Pin-Lock T type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28162	6-Point, PE, Pin-Lock T type
MU-28162R	6-Point, PE, Knob Ratchet T type
MU-28163	6-Point, Nylon Webbing, Pin-Lock T type

## • MU-27126




- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●
- Optional: Chin Strap



\*4-Point PE Suspension (Pin-lock)

### •Suspension Options




Fit Suspensions	Specification
MU-28160	4-Point, PE, Pin-Lock T type
MU-28160R	4-Point, PE, Knob Ratchet T type
MU-28161	4-Point, Nylon Webbing, Pin-Lock T type
MU-28161R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28162	6-Point, PE, Pin-Lock T type
MU-28162R	6-Point, PE, Knob Ratchet T type
MU-28163	6-Point, Nylon Webbing, Pin-Lock T type

# HARD HAT & ACCESSORIES

## • MU-27127




- High Density (PP) Polypropylene Shell
- With 12 Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes: C
- Color: ●●●●●●
- Optional: Chin Strap



\*4-Point PE Suspension (Pin-lock)

### •Suspension Options



#### Fit Suspensions

#### Specification

Fit Suspensions	Specification
MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet T type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28166	6-Point, PE, Pin-Lock T type
MU-28166R	6-Point, PE, Knob Ratchet T type
MU-28167	6-Point, Nylon Webbing, Pin-Lock T type
MU-28167R	6-Point, Nylon Webbing, Knob Ratchet T type

## • MU-27128



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●
- Optional: Chin Strap



\*6-Point Nylon Suspension (Ratchet)



#### Fit Suspensions

#### Specification

Fit Suspensions	Specification
MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet T type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28166	6-Point, PE, Pin-Lock T type
MU-28166R	6-Point, PE, Knob Ratchet T type
MU-28167	6-Point, Nylon Webbing, Pin-Lock T type
MU-28167R	6-Point, Nylon Webbing, Knob Ratchet T type

# HARD HAT & ACCESSORIES

## • MU-27129



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●
- Optional: Chin Strap



\*6-Point PE Suspension (Ratchet)

### • Suspension Options



MU-28164



MU-28165



MU-28166



MU-28167



Pin-Lock Type



Knob Ratchet Type

### Fit Suspensions

### Specification

MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet T type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28166	6-Point, PE, Pin-Lock T type
MU-28166R	6-Point, PE, Knob Ratchet T type
MU-28167	6-Point, Nylon Webbing, Pin-Lock T type
MU-28167R	6-Point, Nylon Webbing, Knob Ratchet T type

## • MU-27130



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●
- Optional: Chin Strap



### • Suspension Options



MU-28168



MU-28169



Pin-Lock Type



Knob Ratchet Type

### Fit Suspensions

### Specification

MU-28168	4-Point, Nylon Webbing, Pin-Lock T type
MU-28168R	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28169	6-Point, Nylon Webbing, Pin-Lock T type
MU-28169R	6-Point, Nylon Webbing, Knob Ratchet T type



\*6-Point Nylon Suspension (Pin-lock)

# HARD HAT & ACCESSORIES

## • MU-27133



- High Density (PP) Polypropylene Shell
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN397
- ANSI Z89.1, hard Hat classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Strap



### •Suspension Options



\*4-Point Nylon Suspension (Ratchet)



MU-28164



MU-28165



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions	Specification
MU-28164	4-Point, PE, Pin-Lock T type
MU-28164R	4-Point, PE, Knob Ratchet T type
MU-28165	4-Point, Nylon Webbing, Pin-Lock T type
MU-28165R	4-Point, Nylon Webbing, Knob Ratchet T type

## • MU-27150(ABS)

## • MU-27151 (PE)



- MU-27150: ABS Shell
- MU-27151: Polypropylene(PP) Shell, The Same Sharp as MU-27150
- Without Vents
- Suspension: 4-Point, PE, Pin-Lock
- CE EN 397
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●●●●●●●
- Optional: Chin Strap



### •Suspension Options



\*6-Point PE Suspension (Ratchet)



MU-28502



MU-28504



Pin-Lock Type



Knob Ratchet Type

Fit Suspensions	Specification
MU-28501	4-Point, Nylon Webbing, Knob Ratchet T type
MU-28502	4-Point, Nylon Webbing, Pin-Lock T type
MU-28503	6-Point, Nylon Webbing, Knob Ratchet T type
MU-28504	6-Point, Nylon Webbing, Pin-Lock T type

# HARD HAT & ACCESSORIES

## • MU-27161



\*Special Breathable Design

- Material: ABS+PC
- Special Breathable Vents Design
- 4 Point Nylon Suspension Knob Ratchet Type
- CE EN 397
- ANSI Z89.1
- Color: ● ● ● ●
- Optional: Chin Strap



Knob Ratchet Type



\*4-Point Nylon Suspension (Ratchet)

### • Chin Strap



MU-28206 (Woven)

### Fit Chin Strap

### Specification

MU-28206

Woven, 4-point Y type, Clip-On Type, With Buckle

## • MU-27162



- Material: PE Shell
- Streamline design
- Without Vents
- Suspension: 6-Point, Nylon Webbing, Knob Ratchet
- CE EN 397
- ANSI Z89.1
- Color: ● ● ● ●
- Optional: Chin Strap



\*6-Point Nylon Suspension (Push button)

### • Chin Strap



MU-28206 (Woven)

### Fit Chin Strap

### Specification

MU-28206

Woven, 4-point Y type, Clip-On Type, With Buckle

# HARD HAT & ACCESSORIES

## • MU-27163



- Material: ABS (HDPE for optional)
- 6 Vents Design
- 6 Point Nylon & Leather Suspension Push Button Type
- CE EN 397
- ANSI Z89.1
- Color: ●●●●●●
- Optional: Chin Strap



\*6-Point Nylon Suspension (Push Button)



### • Chin Strap



MU-28206 (Woven)

### Fit Chin Strap

### Specification

MU-28206

Woven, 4-point Y type, Clip-On Type, With Buckle

## • MU-27164



- Full Brim Safety Helmet
- Material: PP
- Without Vents
- Suspension: 4-Point, PE, Knob Ratchet
- CE EN 397
- ANSI Z89.1
- Color: ●●
- Optional: Chin Strap



Knob Ratchet Type



### • Chin Strap



MU-28206 (Woven)

### Fit Chin Strap

### Specification

MU-28206

Woven, 4-point Y type, Clip-On Type, With Buckle



\*4-Point PE Suspension (Ratchet)

# HARD HAT & ACCESSORIES

• MU-27134



- Climbing Cap Shape Safety Helmet
- Material: ABS
- Suspension: 6-Point, Nylon Webbing, Knob Ratchet
- CE EN 397
- ANSI Z89.1, Hard Hat Classes G & E: 20,000 volts
- Color: ●●
- Optional: Chin Strap



# HARD HAT CHIN STRAP

## • Chin Strap



**MU-28101 (Woven)**



**MU-28202 (Woven)**



**MU-28204 (Elastic)**



**MU-28205 (Woven)**



**MU-28206 (Woven)**

Fit Chin Strap	Specification	Fit Hard Hats
MU-28101	Woven, Clip-On Type, EN397, ANSI Z89.1	2-Point Connection Type Hard Hat
MU-28202	Woven, Clip-On Type	2-Point Connection Type Hard Hat
MU-28204	Elastic, Clip-On Type	2-Point Connection Type Hard Hat
MU-28205	Woven, Clip-On Type, With Buckle	2-Point Connection Type Hard Hat
MU-28206	Woven, 4-point Y type, Clip-On Type, With Buckle	4-Point Connection Type Hard Hat



# BUMP CAP



**MU-36101**



**MU-36102**



**MU-36103**



**MU-36104**



**MU-36105**



**MU-36106**



**MU-36109 Blue**



**MU-36109 Nave Blue**



**MU-36110 Blue**



**MU-36110 Nave Blue**



**MU-36111 Blue**



**MU-36111 Nave Blue**



**MU-36113 Green**



**MU-36113 Orange**



**MU-36112 Blue**



**MU-36112 White**



**MU-36112 Red**



**MU-36112 Green**

Product No.	Color	Material	Standards
MU-36101	Yellow	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36102	Blue	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36103	Red	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36104	White	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36105	Orange	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36106	Green	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36109	Navy Blue, Black	Shell: ABS (Inner EVA Foam), Fabric: 85% Cotton, 15% Polyester	CE EN812
MU-36110	Navy Blue, Black	Shell: ABS (Inner EVA Foam), Fabric: 100% Polyester	CE EN812
MU-36111	Navy Blue, Black	Shell: ABS (Inner EVA Foam), Fabric: 100% Polyester, Short Visor 3cm	CE EN812
MU-36112	Yellow, Blue, Red, White, Green	Shell: PE, 4-Point PE Suspension	CE EN812
MU-36113	Light Green, Light Orange	Shell: ABS (Inner EVA Foam), Fabric: 35% Cotton, 65% Polyester	CE EN812

# SAFETY GLASSES



**MU-13109**

- ABS Frame
- Mesh 24X24 Metal Wire Mesh

CE EN1731 F ANSI Z87.1



**MU-13171**

- PC Frame & PC Lens
- Hytel Inner Frame & EVA Foam
- Replaceable Elastic Straps

CE EN166



**MU-13175**

- PC Frame & PC Lens
- EVA Foam

CE EN166 AS/NZS



**MU-13176**

- PC Frame & PC Lens
- EVA Foam

CE EN166 AS/NZS



**MU-13177**

- PC Frame & PC Lens

CE EN166 ANSI Z87.1 AS/NZS



**MU-13178**

- PC Frame & PC Lens
- Bi-Focal Lens  
(+1.00,+1.50,+2.00,+2.50,+3.00)

CE EN166 ANSI Z87.1



**MU-13179**

- PC Frame & PC Lens
- Rubber Temple Tips

ANSI Z87.1



**MU-13185**

- PC Frame & PC Lens
- Rubber Nose Piece

CE EN166 ANSI Z87.1 AS/NZS

# SAFETY GLASSES



- PC Frame & PC Lens
- Rubber Nose Pad

**MU-13186**

AS/NZS



- PC Frame & PC Lens

**MU-13191**

CE EN166



- PC Frame & PC Lens
- Rubber Nose Pad
- Inter-changeable lenses

**MU-13192**

CE EN166



- Fit-Over Design
- Nylon Frame & PC Lens
- Ratchet-action & Length-Adjustable Temples
- Up & Down Adjustable Nose Pad

**MU-13193**

CE EN166 ANSI Z87.1



- Designed For Women
- Nylon Frame & PC Lens
- Ratchet-Action
- Length-Adjustable Temples

**MU-13196**

CE EN166 ANSI Z87.1 AS/NZS



- PC Frame & PC Lens
- Rubber Temple Tips

**MU-13197**

CE EN166 ANSI Z87.1 AS/NZS



- PC Temple & PC Lens
- Rubber Nose Pad
- Temple Tips

**MU-13204**

ANSI Z87.1



- Nylon Frame & PC Lens
- Rubber Nose Pad

**MU-13206**

CE EN166

# SAFETY GLASSES



- PC Frame & PC Lens
- Non-Slip Temple Tips

**MU-13208**



**AS/NZS**



- Square Side Design
- PC Frame & PC Lens

**MU-13212**



- PC Frame & PC Lens
- Rubber Temple Tips

**MU-13213**



**AS/NZS**



- Fit-Over Design
- PC Frame & PC Lens
- Rubber Nose Pad & Temple Tips

**MU-13219**

**AS/NZS**



- 10-Base Curve
- PC Frame & PC Lens

**MU-13220**



**AS/NZS**



- PC Frame & PC Lens
- Straight Temple With Rubber Temple Tips

**MU-13221**



**AS/NZS**



- PC Temple & PC Lens
- Rubber Insert Temples

**MU-13222**



**AS/NZS**



- Nylon Frame & PC Lens
- Rubber Nose Pad & Temple Tips

**MU-13223**



**AS/NZS**

# SAFETY GLASSES



- Nylon Frame & PC Lens
- Ratchet & Adjustable Temples
- Rubber Nose Pad

**MU-13224**

CE EN166 ANSI Z87.1



- Nylon Frame & PC Lens
- Length-Adjustable Temples
- Rubber Nose Pad

**MU-13225**

CE EN166 ANSI Z87.1



- PC Frame & PC Lens
- Rubber Nose Pad

**MU-13227**

ANSI Z87.1



- RX-Inserts
- Nylon Frame & PC Lens
- Wrap-Around Frame

**MU-13230**

CE EN166



- PC Frame & PC Lens
- Rubber Nose Pad & Temple Tips

**MU-13232**

ANSI Z87.1



- Wrap-Around Design
- PC Frame & PC Lens

**MU-13233**

CE EN166 ANSI Z87.1 AS/NZS



- RX Insert
- PC Temple & PC Lens
- Rubber Nose Pad & Temple Tips
- TR-90 Inner Frame

**MU-13236**

CE EN166



- PC Temple & PC Lens
- Ratchet Action Temples
- 7-base Curve

**MU-13246**

CE EN166

AS/NZS

# SAFETY GLASSES



- Nylon Frame & PC Lens
- Ratchet & Adjustable Temples

**MU-13250**



- Fit Over Design
- PC Frame & PC Lens

**MU-13254**



**AS/NZS**



- Fit Over Design
- Nylon Temple & PC Lens
- Length-Adjustable & Ratchet-Action Temples

**MU-13257**



- Nylon Frame & PC Lens
- Length-Adjustable Temples

**MU-13258**



**AS/NZS**



- Nylon Frame & PC Lens
- Ratchet-Action & Length-Adjustable Temples

**MU-13262**



- Square Side Shield
- Nylon Frame & PC Lens
- Ratchet-Action & Length-Adjustable Temples

**MU-13263**



- Nylon Frame & PC Lens
- Length-Adjustable Temples
- Red/White/Blue Nylon Frame Available

**MU-13264**



- Bi-Focal Lens: +1.00 +1.50 +2.00 +2.50 +3.00
- Nylon Frame & Injected Bi-Focal PC lens
- Length-Adjustable Temples

**MU-13265**



# SAFETY GLASSES



**MU-13268**

CE EN166

- Suitable For Children Use
- Nylon Frame & PC Lens
- Size:12.5cm



**MU-13274**

CE EN166

- PC & Nylon Frame
- PC Lens
- Length-Adjustable Temples
- Rubber Tips



**MU-13276**

ANSI Z87.1

- SBR Foam
- PC Frame & PC Lens
- Rubber Nose Pad & Temple Tips



**MU-13277**

CE EN166

AS/NZS

- Anti-Swear Design
- Rubber Frame & PC Lens
- Ratchet-Action PC Temples
- PVC Temple Tips & Nose Pad



**MU-13279**

CE EN166

ANSI Z87.1

- Nylon Frame & PC Lens
- Rubber Nose Pad & Temple Tips
- Bi-Focal Lens:+1.00, +1.50, +2.00, +2.50, +3.00



**MU-13281**

CE EN166

ANSI Z87.1

AS/NZS

- 10-Based Curve Lens
- Nylon Frame & PC Lens
- Ratchet-action & Length-Adjustable Temples



**MU-13284**

CE EN166

ANSI Z87.1

- Nylon Frame & PC Lens
- Length-Adjustable Temples
- Wrap-Around Lens



**MU-13285**

CE EN166

- Wrap-Around Design
- Nylon Frame & PC Lens
- Rubber Nose Pad
- Option: Rx-Insert

# SAFETY GLASSES



- PC Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips
- Optional: Photochromic Lenses

**MU-13286**



- Nylon Frame & PC Lens
- Length-Adjustable Temples
- Rubber Nose Pad

**MU-13294**



- PC Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips

**MU-13299**



AS/NZS



- PC Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips

**MU-13300**



- PC Frame & PC Lens
- Rubber Nose Pad
- Option: RX-Inserts

**MU-13301**



- Exchangeable Temples & Elastic Headband
- PC & SBR Frame, PC Lens
- Rubber & Metal Nose Pad
- Rubber Temple Tips

**MU-13302**



- Nylon Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips

**MU-13304**



- PC Frame & PC Lens
- Rubber Nose Pad

**MU-13305**



# SAFETY GLASSES



- Nylon Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips

**MU-13312**



- Nylon Frame & PC Lens
- Length-Adjustable Temples
- Rubber Nose Pad

**MU-13319**



- Nylon Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips
- Option: Rx-Inserts

**MU-13320**



- Nylon Frame & PC Lens
- Rubber Nose Pad
- Rubber Temple Tips
- Optional: Photochromic Lenses

**MU-13323**



- Fit Over Design
- Molded Dide Lens
- PC Frame & PC Lens

**MU-13326**



- Nylon Frame & PC Lens
- Rubber Nose Pad
- Double-Injected Temples
- Optional: Photochromic Lenses

**MU-13329**



**AS/NZS**



- Metal Frame & PC Lens
- Soft Nose Pad
- Soft Temple Tips

**MU-13334**



- Metal Frame & PC Lens
- Soft Nose Pad
- Soft Temple Tips

**MU-13335**



**AS/NZS**

# SAFETY GLASSES



- Metal Frame & PC Lens
- Soft Nose Pad
- Soft Temple Tips
- PC Side Shields

**MU-13341**



- PC Frame & PC Lens
- Rubber Tips
- Rubber Nose Pad

**MU-13344**



- Nylon Frame & PC Lens
- Length-Adjustable Temples

**MU-13348**



- Exchangeable Temples & Elastic Headband
- PC Frame, PC Lens
- Optional: Photochromic Lenses

**MU-13349**



- PC Frame, PC Lens
- Exchangeable Temples & Elastic Headband
- Rubber Nose Pad & Temple Tips
- Optional: Photochromic Lenses

**MU-13354**



- Fit-Over Design
- Nylon Frame, PC Lens
- Rubber Nose Pad & Temple Tips

**MU-13362**



**AS/NZS**



- Fit-Over Design
- Flip-Up
- PC frame(0.8mm Polarized Lens)
- PC Side Lens
- Up & Down Adjustable Nose Pad

**MU-13364**



- PC Frame & PC Lens
- Exchangeable Temples & Elastic Headband
- TPR Temple Tips

**MU-13372**



**AS/NZS**

# SAFETY GLASSES



**MU-13373**

CE EN166 ANSI Z87.1

- Wrap-Around Design
- PC Frame & PC Lens
- TPR Nose Pad



**MU-13374**

CE EN166

- Side Shields Design
- PC Frame & PC Lens



**MU-13376**

- Exchangeable Temples & Elastic Headband
- PC & TPR Frame, PC Lens
- Optional: Photochromic Lenses



**MU-13377**

- PC Frame & PC Lens
- Rubber Nose Pad
- \* Rubber Temple Tips

ANSI Z87.1



**MU-13378**

- Wrap-Around Design
- PC Frame & PC Lens
- Applying for CE



**MU-13511**

CE EN166 ANSI Z87.1

- PC Frame & PC Lens
- Simple and economical



**MU-13512**

CE EN166 ANSI Z87.1

- Fit-Over Design
- Side Shields Design
- PC Frame & PC Lens



**MU-13513**

CE EN166 ANSI Z87.1

- Nylon Frame, PC Lens
- Length-Adjustable Temples

# SAFETY GLASSES



- Nylon Frame, PC Lens
- Length-Adjustable Temples
- Adjustable Height & Low Angle Temples

**MU-13514**



**MU-13551**



**MU-13553**



**MU-13554**



**MU-13555**



**MU-1356**



**MU-13557**



**MU-13559**

# SAFETY GLASSES



**MU-13560**



**MU-13561**



**MU-13562**



**MU-13570**



**MU-13601**

**Spogge (Spectacle+Goggle)**



**MU-13602**



**MU-13603**

# SAFETY GLASSES



**MU-13604**



**MU-13605**



**MU-13606**



**MU-13607**



**MU-13608**



**MU-13609**



**MU-13610**

# SAFETY GOGGLES



## MU-11113

- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166 B



## MU-11122

- Fit-Over Design
- PVC Frame, PC Lens
- Direct Vents
- ANSI Z87, CE EN166 F



## MU-11123

- Fit-Over Design
- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166 B



## MU-11125

- PVC Frame, PC Lens
- 4 Indirect Vents
- ANSI Z87, CE EN166 B, N



## MU-11126

- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166 B



## MU-11127

- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166 B



## MU-11128

- 180° Wide-angle lens design
- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166 B



## MU-11129

- 180° Wide-angle lens design
- PVC Frame, PC Lens (IR #5)
- Indirect Vents
- ANSI Z87, CE EN166 B



## MU-11130

- For Kids
- PVC Frame, PC Lens
- Direct Vents
- ANSI Z87



## MU-11131

- For Kids
- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87



## MU-11132

- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166



## MU-11133

- PVC Frame, PC Lens
- Indirect Vents
- ANSI Z87, CE EN166

# SAFETY GOGGLES



## MU-11134

- Hytrel inner frame, EVA Foam
- PC Lens
- Indirect Vents
- CE EN166



## MU-11135

- PC Lens
- CE EN166



## MU-11139

- Metal Mesh Lens
- Rubber Frame
- CE EN166



## MU-11143

- PVC Frame, PC Lens
- AS/NZS



## MU-11144

- PVC Frame
- PC Lens
- AS/NZS



## MU-11147

- Wide-Angle Design
- PVC Frame, PC Lens
- ANSI Z87.1, CE EN166



## MU-11152

- PVC Frame, PC Lens
- CE EN166, AS/NZS



## MU-11155

- PVC Frame, PC Lens
- Direct Vents
- ANSI Z87, CE EN166, AS/NZS



## MU-11156

- PVC Frame, PC Lens
- indirect Vents
- ANSI Z87, CE EN166, AS/NZS



## MU-11168

- Steel Mesh
- PVC Frame
- CE EN1731



## MU-11151

- PVC Frame (Vented)
- PC Lens (2.3mm)
- Polyurethane Foam
- ANSI Z87
- MIL-DTL-43511D



## MU-11177

- Camouflage
- PVC Frame (Vented)
- Polyurethane Foam
- PC Lens (2.3mm)
- ANSI Z87
- MIL-DTL-43511D

# SAFETY GOGGLES

**NEW**



## **MU-11207**

- Black/Lt. Grey Frame,
- Black Headband,
- With Quick Release,
- Clear Lens (Anti Fog, Anti Scratch)



# WELDING GOGGLES



MU-12105



MU-12106



MU-12111



MU-12112



MU-12113



MU-12114

\*Shade Lens Optional #10 #11 #13

Product No.	Lens Flip Design	Frame Material	Vent	Lens	Standards
MU-12105	YES	PVC	Indirect	Φ2" (50mm), Shade #5 Green	ANSI, CE
MU-12106	YES	PVC	Indirect x 4	Φ2" (50mm), Shade #5 Green	ANSI, CE
MU-12111	YES	PVC	Indirect	2" X 4 1/4" (50.5mm x 107.5mm), Shade #5 Green	ANSI, CE
MU-12112	YES	PVC	Indirect x 6	2" X 4 1/4" (50.5mm x 107.5mm), Shade #5 Green	ANSI, CE
MU-12113	-	PVC	Indirect x 6	2" X 4 1/4" (50.5mm x 107.5mm), Shade #5 Green	ANSI
MU-12114	-	PVC	Indirect	2" X 4 1/4" (50.5mm x 107.5mm), Shade #5 Green	ANSI, CE



MU-12116



MU-12117



MU-12118



MU-12120



MU-12121

Fit With MU-27123 Hard hat



MU-12122

Clip-On Furnace Observation Glass

\*Shade Lens Optional #10 #11 #13

Product No.	Lens Flip Design	Frame Material	Vent	Lens	Standards
MU-12116	-	ABS Cup	Indirect x 2	Φ2" (50mm), Shade #5 Green	ANSI, CE
MU-12117	YES	PVC	Indirect x 6	Φ2" (50mm), Shade #5 Green	ANSI, CE
MU-12118	-	PVC	Indirect	Angle of view:180°	ANSI, CE
MU-12120	-	PVC	-	Φ2" (50mm), Shade #5 Green	ANSI, CE
MU-12121	Clip-on	ABS, PC	-	Φ2" (50mm), Shade #5 Green	ANSI, CE
MU-12122	Clip-on	ABS, PC	-	Φ2" (50mm), Shade #5 Green	ANSI, CE

# SKI GOGGLES



## MU-63101

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63102

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63103

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63104

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63105

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63106

Frame: Frameless & Single layer 12mm foam  
Lens: PC Smoke - Single lens (Anti-fog)  
Strap: Single layer woven strap & 2 buckles



## MU-63107 Replaceable strap

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Magnetic double lens (Anti-fog inner lens)  
Option: Magnetic interchangeable lens  
Strap: Changeable strap - Single layer woven strap & 2 buckles



## MU-63108

Frame: Black + Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap + 2 buckles

# SKI GOGGLES



## MU-63109

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63110

Frameless: 3 layer 27mm foam  
Lens: PC Smoke - Single lens (Anti-fog)  
Strap: Single layer woven strap + 2 buckles



## MU-63111

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Double lens(Anti-fog inner lens)  
Strap: Single layer woven strap & 2 buckles



## MU-63112 Suitable for kids

Frame: Black & Single layer 12mm foam  
Lens: PC Smoke - Single lens (Anti-fog)  
Strap: Single layer woven strap & 2 buckles



Fit Smoke lens



Fit Clear Lens

## MU-63113 Replaceable strap Magnetic interchangeable lens

Frame: Black + Single layer 12mm foam  
Lens: PC Smoke - Magnetic double lens (Anti-fog inner lens)  
Strap: Replaceable strap - Single layer woven strap & 2 buckles



## MU-63501 Pouch



## MU-63601 Color Box

## Customized Additional Options

Foam	3-Layer 12mm Higher Foam
	3-Layer 15mm Higher Foam
	3-Layer 15mm Higher Molded Foam
	3-Layer 15mm Higher Molded Foam + Fleece
Lens Coating	Flash Mirror
	REVO
	Overall REVO
Painting	Standard Colored Painting
Strap	Sublimation (Pattern Printing)
	Jacquard (2 Colors)
Logo	Printing Logo On Lens
	Laser Graving Logo On Lens



# WELDING HELMET



**MU-32103**

- Flip up lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32103	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI, CE, CSA



**MU-32104**

- Fixed lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32104	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI



**MU-32112**

- Flip up lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32112	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI, CE



**MU-32202**

- Flip up lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32202	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI, CE



**MU-32203**

- Flip up lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32203	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI, CE



**MU-32205**

- Flip up lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32205	5.25" x 4.5" (133 x 114 mm)	9, 10, 11, 12, 13, 14	ANSI

# WELDING HELMET



**MU-32206**

- Fixed lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32206	5.25." x 4.5" (133 x 114 mm)	9, 10, 11, 12, 13, 14	ANSI



**MU-32207**

- Fixed lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32207	5.25." x 4.5" (133 x 114 mm)	9, 10, 11, 12, 13, 14	ANSI



**MU-32211**

- Fixed lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32211	4.4." x 3.6" (110 x 90 mm)	9, 10, 11, 12, 13, 14	CE



**MU-32212**

- Flip up lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32212	4.25" x 2" (107.5.x 50mm)	9, 10, 11, 12, 13, 14	ANSI, CE



**MU-32214**

- Fixed lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32214	4.25" x 3.6" (108 x 83mm)	9, 10, 11, 12, 13, 14	CE



**MU-32217**

- Hand-held welding mask
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32217	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	-

# WELDING HELMET



**MU-32218**

- Hand-held welding mask
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32218	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	-



**MU-32220**

- Fixed lens holder
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32220	4.4" x 3.6" (110 x 90 mm)	9, 10, 11, 12, 13, 14	CE



**MU-32221**

- Hand-held welding mask
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32221	4.4" x 3.6" (110 x 90 mm)	9, 10, 11, 12, 13, 14	CE



**MU-32105**

- Flip front welding helmet for safety helmet
- Material: PP (polypropylene), ABS bracket
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32105	4.25" x 2" (108 x 50 mm)	11	CE, ANSI



**MU-32106**

- Flip front welding helmet for safety helmet
- Material: PP (polypropylene), Aluminum bracket
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32222	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI, CE



**MU-32222**

- Flip front welding helmet for safety helmet
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32222	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	ANSI, CE

# WELDING HELMET



**MU-32223**

- Fixed welding helmet for safety helmet
- Material: PP (polypropylene)
- Color: black

Product No.	Lens Size	Lens shade#	Standards
MU-32223	4.25" x 2" (108 x 50 mm)	9, 10, 11, 12, 13, 14	-



**MU-32301**

- Auto darkening welding helmet
- Material: PP (polypropylene)
- Color: black
- Light Shade #4
- Dark State:
- Group 1 : Shade 5, 7
- Group 2 : Shade 8, 9, 10, 11, 12
- Delay Control
- Sensitivity Modes: 5 levels

Product No.	Lens Size	Lens Shade#	Standards
MU-32301	5.25." x 4.5" (133 x 114 mm)	5, 7, 8, 9, 10, 11,12, 13, 14	ANSI, CE, CSA




Image by Laurent Schmidt from Pixabay

# VISOR BRACKET



MU-05101



MU-05102



MU-05103



MU-05104

## Suitable Visors: MU-15101~MU-15162

Product No.	Material	Color	Fit Helmet Type	Standards
MU-05101	ABS	Black	General	CE, ANSI
MU-05102	ABS & Aluminum	Black	General	CE, ANSI
MU-05103	Aluminum	Black	General	CE, ANSI
MU-05104	Aluminum	Silver	Round-brim	CE, ANSI
MU-05105	Aluminum	Black	U-brim	ANSI
MU-05106	Aluminum	Black	Round-brim	ANSI
MU-05107	Aluminum	Silver	U-brim	ANSI
MU-05108	Aluminum	Silver	General	CE, ANSI



MU-05501



MU-05502



MU-05503

\*Can be combined with helmet, Visor & earmuffs

## Suitable Visors: MU-15101~MU-15162

Product No.	Material	Color	Fit Helmet Type	Standards
MU-05501	PP	Black	General shape	CE, ANSI
MU-05502	PP	Black	Round-brim	ANSI
MU-05503	PP	Black	General shape	CE, ANSI
MU-05504	PP	Black	General shape	CE, ANSI

# VISOR BRACKET

## Head & Face Protection

Safety helmet :

\*General shape

MU-27101, MU-27102, MU-27103, MU-27104, MU-27105,  
MU-27106, MU-27120, MU-27121, MU-27122, MU-27123,  
MU-27124, MU-27125, MU-27126, MU-27127, MU-27128,  
MU-27129, MU-27130

\*Round-birm shape

MU-27133, MU-27131, MU-27164



Bracket:

For general shape:

MU-05101, MU-05102, MU-05103, MU-05108

For round-birm shape:

MU-05104, MU-05106

For U-birm shape:

MU-05105, MU-05107

Visor:

MU-15101~MU-15162

## Head & Face & Hearing Protection

Safety helmet :

\*General shape

MU-27101, MU-27102, MU-27103, MU-27104, MU-27105,  
MU-27106, MU-27120, MU-27121, MU-27122, MU-27123,  
MU-27124, MU-27125, MU-27126, MU-27127, MU-27128,  
MU-27129, MU-27130

\*Round-birm shape

MU-27133, MU-27131, MU-27164

MU-05503 Bracket(Fit general helmet):  
Can be equipped with earmuffs

Earmuffs for Safety Helmet:

MU-40101 (NRR:22dB, SNR:25.9dB)

MU-40102 (NRR:22dB, SNR:25.9dB)

MU-40103 (NRR:30dB, SNR:23dB)

MU-40104 (NRR:30dB, SNR:23dB)

MU-40105 (NRR:23dB)



VISOR:

MU-15501~MU-15512



MU-15101



MU-15104



MU-15108



MU-15109



MU-15112



MU-15113




MU-14101

MU-15102



MU-14101

MU-15107



MU-14101

MU-15110

**Fit Brow Guard:**

**MU-14101, MU-14102, MU-14103, MU-14104, MU-14105, MU-14106**

**Fit Bracket:**

**MU-05101, MU-05102, MU-05103, MU-05104, MU-05105, MU-05106, MU-05107, MU-05108**

Product No.	Size	Thickness	Material	Color	Aluminum bound	Standards
MU-15101	8" x 15.5"	0.8mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15102	8" x 15.5"	1.0mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15103	8" x 15.5"	1.5mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15104	8" x 15.5"	1.0mm	Cellulose Acetate	Clear	Yes	CE, ANSI
MU-15106	8" x 15.5"	1.0mm	PC	Green, Anti-UV U3	Yes	CE, ANSI
MU-15107	8" x 15.5"	1.0mm	PC	Green, Anti-UV U5	Yes	CE, ANSI
MU-15108	8" x 15.5"	-	Steel Mesh	Black	Yes	CE, ANSI
MU-15109	8" x 15.5"	-	Steel Mesh	Black	N/A	CE, ANSI
MU-15110	8" x 15.5"	0.8mm	PC	Clear	N/A	CE, ANSI, CSA
MU-15111	8" x 15.5"	1.0mm	PC	Clear	N/A	CE, ANSI, CSA
MU-15112	8" x 15.5"	1.0mm	PC	Green, U3	N/A	CE, ANSI
MU-15113	8" x 15.5"	1.0mm	PC	Green, U5	N/A	CE, ANSI
MU-15121	8" x 12"	0.8mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15122	8" x 12"	1.0mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15123	8" x 12"	1.5mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15124	8" x 12"	1.0mm	Cellulose Acetate	Clear	Yes	CE, ANSI
MU-15125	8" x 12"	1.0mm	PC	Green, Anti-UV U3	Yes	ANSI
MU-15126	8" x 12"	1.0mm	PC	Green, Anti-UV U5	Yes	ANSI
MU-15127	8" x 12"	-	Steel Mesh	Black	Yes	CE, ANSI
MU-15128	8" x 12"	-	Steel Mesh	Black	N/A	CE, ANSI
MU-15129	8" x 12"	0.8mm	PC	Clear	N/A	CE, ANSI, CSA
MU-15130	8" x 12"	1.0mm	PC	Clear	N/A	CE, ANSI, CSA
MU-15131	8" x 12"	1.0mm	PC	Green, U3	N/A	ANSI
MU-15132	8" x 12"	1.0mm	PC	Green, U5	N/A	ANSI

## Aluminized PC Visor



MU-15151



### Fit Brow Guard:

**MU-14101, MU-14102, MU-14103, MU-14104, MU-14105, MU-14106**

### Fit Bracket:

**MU-05101, MU-05102, MU-05103, MU-05104, MU-05105, MU-05106, MU-05107, MU-05108**

Product No.	Size	Thickness	Material	Color	Aluminum bound	Standards
MU-15151	8" x 15.5"	1.0mm	Aluminized, PC CE 2C-3, ANSIR3, U6	Silver	Yes	ANSI, CE
MU-15153	8" x 15.5"	1.0mm	Aluminized, PC ANSIR3, U6	Silver	Yes	ANSI

## Forehead, Face and Chin protection



MU-15162 8" x 15" Clear Visor

MU-14101 Brow Guard

MU-15161 7" x 15" Clear Visor

MU-17101 Chinguard



### Fit Brow Guard:

**MU-14101, MU-14102, MU-14103, MU-14104, MU-14105, MU-14106**

### Fit Bracket:

**MU-05101, MU-05102, MU-05103, MU-05104, MU-05105, MU-05106, MU-05107, MU-05108**

Product No.	Size	Thickness	Material	Color	Aluminum bound	Standards
MU-15161	7" x 15.5"	1.0mm	PC	Clear	N/A	CE, ANSI, CSA
MU-15162	8" x 15.5"	1.0mm	PC	Clear	N/A	CE, ANSI, CSA



**Fit Brow Guard:**

**MU-14201, MU-14202, MU-14203, MU-14204**

• **MU-15301, MU-15302 fit for MU-14301**

Product No.	Size	Thickness	Material	Color	Aluminum bound	Standards
MU-15201	8" x 12"	0.8mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15202	8" x 12"	1.0mm	PC	Clear	Yes	CE, ANSI, CSA
MU-15203	8" x 12"	1.0mm	PC	Green, U3	Yes	ANSI
MU-15204	8" x 12"	1.0mm	PC	Green, U5	Yes	ANSI
MU-15205	8" x 12"	0.8mm	PC	Clear	N/A	CE, CSA
MU-15206	8" x 12"	1.0mm	PC	Clear	N/A	CE, ANSI, CSA
MU-15207	8" x 12"	1.0mm	PC	Green, U3	N/A	ANSI
MU-15208	8" x 12"	1.0mm	PC	Green, U5	N/A	ANSI
MU-15301	8" x 15.5"	1.0mm	PC	Clear	Yes	CE, ANSI
MU-15302	8" x 15.5"	1.0mm	PC	Clear	N/A	CE, ANSI



**Fit Brow Guard: MU-14401**

Product No.	Size	Thickness	Material	Color	Aluminum bound	Standards
MU-15401	8" x 13.5"	1.0mm	PC	Clear	N/A	ANSI, CE
MU-15403	8" x 15.5"	-	Steel Mesh	Black	N/A	ANSI, CE



MU-15501



MU-15502



MU-15503



MU-15504



MU-15505



MU-15506



MU-15510



MU-15511

MU-14501



MU-15509

MU-14502



MU-15503

**Fit Brow Guard: MU-14501, MU-14502, MU-14503**

**Fit Bracket: MU-05501, MU-05502, MU-05503**

Product No.	Size	Thickness	Material	Color	Aluminum bound	Standards
MU-15501	8" x 12"	1.0mm	PC	Clear	N/A	ANSI, CE
MU-15502	8" x 15.5"	1.0mm	PC	Clear	N/A	ANSI, CE
MU-15503	8" x 12"	1.0mm	PC	Clear	Yes	ANSI, CE
MU-15504	8" x 15.5"	1.0mm	PC	Clear	Yes	ANSI, CE
MU-15505	8" x 15.5"	1.0mm	PC	Smoke	N/A	ANSI, CE
MU-15506	8" x 12"	-	PE Mesh	Black	N/A	-
MU-15510	8" x 12"	-	Steel Mesh# 16 x16	Black	N/A	-
MU-15511	8" x 12"	-	Steel Mesh# 25x25	Black	N/A	CE
MU-15512	8" x 15.5"	-	Steel Mesh	Black	N/A	CE

# BROW GUARD



## Fit Visor: MU-15101~MU-15162

Product No.	Color	Material	Adjustment type	Standards
MU-14101	Yellow	ABS	Ratchet	CE, ANSI, CSA, AS/NZS
MU-14102	Blue	ABS	Ratchet	CE, ANSI, CSA, AS/NZS
MU-14103	Orange	ABS	Ratchet	CE, ANSI, CSA, AS/NZS
MU-14104	Green	ABS	Ratchet	CE, ANSI, CSA, AS/NZS
MU-14105	Black	ABS	Ratchet	CE, ANSI
MU-14106	Black	ABS	Ratchet	CE, ANSI, CSA, AS/NZS



## Fit Visor: MU-15201~MU-15208

### • MU-14301 Brow Guard Fit MU-15301, MU-15302 Visor

Product No.	Color	Material	Adjustment type	Standards
MU-14201	Yellow	ABS	Ratchet	CE, ANSI, CSA
MU-14202	Blue	ABS	Ratchet	CE, ANSI, CSA
MU-14203	Orange	ABS	Ratchet	CE, ANSI, CSA
MU-14204	Green	ABS	Ratchet	CE, ANSI, CSA
MU-14205	White	ABS	Ratchet	CE, ANSI, CSA
MU-14206	Yellow	ABS	Manual	CE, ANSI, CSA
MU-14207	Blue	ABS	Manual	CE, ANSI, CSA
MU-14208	Orange	ABS	Manual	CE, ANSI, CSA
MU-14209	Green	ABS	Manual	CE, ANSI, CSA
MU-14210	White	ABS	Manual	CE, ANSI, CSA
MU-14301	Yellow	ABS	Push and Turn	CE, ANSI, CSA

# BROW GUARD



MU-14401

## Fit Visor: MU-15401~MU-15402

Product No.	Color	Material	Adjustment type	Standards
MU-14401	Black	ABS	Pinlock	CE, ANSI, CSA



MU-14501



MU-14502



MU-14503

## Fit Visor: MU-15501~MU-15512

Product No.	Color	Material	Adjustment type	Standards
MU-14501	Blue	ABS	Ratchet	CE, ANSI, CSA
MU-14502	Orange	ABS	Ratchet	CE, ANSI, CSA
MU-14503	Green	ABS	Ratchet	CE, ANSI, CSA



Image by Olga Oginskaya from Pixabay

# FACE SHIELD

## Forehead, face and chin protection



MU-16101



MU-16102



MU-16103



MU-16104

- ABS Brow Guard, flip-up type
- PC Visor
- ABS Chinguard

Product No.	Brow Guard Color	Visor	Adjustment Type	Standards
MU-16101	Yellow	Clear, 7 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16102	Blue	Clear, 7 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16103	Orange	Clear, 7 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16104	Green	Clear, 7 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16105	Yellow	Clear, 8 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16106	Blue	Clear, 8 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16107	Orange	Clear, 8 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA
MU-16108	Green	Clear, 8 x 15.5" 1.0mm	Ratchet	CE, ANSI, CSA

## Forehead and face protection



MU-16401



MU-16402



MU-16501



MU-16502



MU-16505



MU-16506

Product No.	Brow Guard	Visor	Adjustment Type	Standards
MU-16401	Black, Flip Pp Type	PC, Clear, 8" x 13.5" x 1.0mm	Pin-Lock	CE, ANSI
MU-16402	Black, Flip Up Type	Steel Mesh(#25 x 25), 8" x 15"	Pin-Lock	CE, ANSI
MU-16501	Yellow, Fixed Type	PC, Clear, 8" x 12" x 0.8mm	Elastic Straps	CE
MU-16502	Yellow, Flip Up Type	PC, Clear, 8" x 12" x 0.8mm	Elastic Straps	-
MU-16503	Black Frame, Flip Up Type	PC, Clear, 8" x 12" x 1.0mm	Elastic Straps	-
MU-16504	Black Frame, Flip Up Type	Plastic Mesh(# 16 x 12), 8" x 12"	Elastic Straps	-
MU-16505	Yellow, Flip Up Type	PC, Clear, 8" x 12"	Ratchet	CE, ANSI
MU-16506	Yellow Frame, Flip Up Type	Steel Mesh(#25 x 25), 8" x 15"	Ratchet	-

# FACE SHIELD



MU-16601



MU-16602



MU-16603: Pink, White, Yellow

Product No.	Brow Guard	Visor	Adjustment Type	Standards
MU-16601	Green, Fixed Type	PC, Clear, 10.5" x 5.9" x 0.8mm	Drawstring	CE
MU-16602	White, Fixed Type	PC, Clear, 10.5" x 6.8" x 0.25mm	Drawstring	-
MU-16603	Yellow, White, Pink, Fixed Type	PC, Clear, 11.8" x 8.2" x 0.25mm	Elastic Straps	CE



MU-16604



MU-16605



MU-16606

Product No.	Brow Guard	Visor	Adjustment Type	Standards
MU-16604	Yellow Foam, Fixed Type	PC, Clear, 13.3" x 9" x 0.25mm	Elastic Straps	-
MU-16605	Blue, White, Pink, Flip Up Type	PC, Clear, 11.4" x 7.8" x 0.25mm	Drawstring	-
MU-16606	White Frame, Flip Up Type	PC, Clear, 15" x 9.7" x 0.5mm	Ratchet	-



MU-16607



MU-16608



MU-16609



MU-16610

Product No.	Brow Guard	Visor	Adjustment Type	Standards
MU-16607	White Frame, Flip Up Type	PC, Clear, 15" x 12" x 0.5mm	Ratchet	CE
MU-16608	White, Flip Up Type	PC, Clear, 13.3" x 9" x 0.5mm	Ratchet	-
MU-16609	White, Flip Up Type	PC, Clear, 15" x 9.7" x 0.5mm	Ratchet	CE
MU-16610	Blue, White, Pink, Flip Up Type	PC, Clear, 13.3" x 8.2" x 0.25mm	Drawstring	-

# FACE SHIELD



Hook design  
Can add a rope to adjust the tightness

Product No.	Frame	Visor	Standards
MU-16612	transparent, Fixed	PC, Clear, 11.4" x 7.8" x 0.25mm	-




MU-16801



MU-16802

Product No.	Brow Guard	Visor	Adjustment Type	Standards
MU-16801	Black, Flip Up Type	PC, Clear, 11.8" x 7.6"	Ratchet	CE, ANSI
MU-16802	Black, Flip Up Type	Metal wire mesh, 11.8" x 7.6"	Ratchet	CE, ANSI



MU-16901



Product No.	Face Shield	Visor	Adjustment Type	Standards
MU-16901	Foam, Fixed Type	PET, Clear, 9.4" x 12.5"(Lower)	Elastic Straps	CE, ANSI (FDA)

# N95 MASK

## 9600 Comfot Series



**9600-N95**



• Allow folding



**9600-N95S**



**9600V-N95**



**9600-N95OV  
Carbon layer**



**9600-N95VOV  
Carbon layer**

- Adjustable aluminum nose clip
- Exceptional inside filter for very low breathing resistance
- Ultrasonic welded head strap for tight fit
- High density urethane foam nosepiece make wearing comfortable
- 9600-N95OV & 9600-N95VOV: Carbon layer pre-filter against nuisance organic vapors

Product No.	Description	Size	Exhalation Valve	Carbon layer	Packaging	Approval
9600-N95	N95 Cone Respirator	L, M	-	-	20 masks/box; 12 boxes/case	TC-84A-7867
9600V-N95	N95 Cone Respirator	L, M	V	-	10 masks/box; 12 boxes/case	TC-84A-7869
9600-N95OV	N95 Cone Respirator	L, M	-	V	10 masks/box; 12 boxes/case	TC-84A-7882
9600-N95VOV	N95 Cone Respirator	L, M	V	V	10 masks/box; 12 boxes/case	TC-84A-7883
9600-N95S	N95 Cone Respirator	S	-	-	20 masks/box; 12 boxes/case	TC-84A-7871
9600V-N95S	N95 Cone Respirator	S	V	-	10 masks/box; 12 boxes/case	TC-84A-8107

## 9500 Comfot Series



**9500-N95**



**9500V-N95**



**9500-N95VOV**



**9500-N95OV  
Carbon layer**



**9500-N95VOV  
Carbon layer**

- Adjustable aluminum nose clip
- Exceptional inside filter for very low breathing resistance
- Ultrasonic welded head strap for tight fit
- High density urethane foam nosepiece make wearing comfortable
- 9500-N95OV & 9500-N95VOV: Carbon layer pre-filter against nuisance organic vapors

Product No.	Description	Size	Exhalation Valve	Carbon layer	Packaging	Approval
9500-N95	N95 Cone Respirator	L, M	-	-	20 masks/box; 12 boxes/case	TC-84A-5411, FDA (510) :K020474
9500-N95S	N95 Cone Respirator	S	-	-	20 masks/box; 12 boxes/case	TC-84A-5463, FDA (510) :K020474
9500V-N95	N95 Cone Respirator	L, M	V	-	10 masks/box; 12 boxes/case	TC-84A-5460
9500-N95OV	N95 Cone Respirator	L, M	-	V	10 masks/box; 12 boxes/case	TC-84A-5525
9500-N95VOV	N95 Cone Respirator	L, M	-	V	10 masks/box; 12 boxes/case	TC-84A-5525

# N95 MASK

## FIT Comfot Series



**FIT-N95**



**Flat Folded**



**FIT-N95V**



**Flat Folded**

- Softer outer and inner layers, comfortable fit
- Individually adjustable plastic invisible nose clip, very suitable
- Fully adjustable loop headband, suitable for wearing
- Check valve for easy exhalation (FIT-N95V)
- Flat-folding respirator is easy to store

Product No.	Description	Size	Exhalation Valve	Carbon layer	Packaging	Approval
FIT-N95	N95 Flat Folded Respirator	L, M	-	-	20 masks/box; 12 boxes/case	TC-84A-8420
FIT-N95V	N95 Flat Folded Respirator	L, M	V	-	10 masks/box; 12 boxes/case	TC-84A-8421

## Headband adjustment buckle design



**801-N95**

N95

NIOSH TC-84A-9223



**9601-N95**

N95

NIOSH TC-84A-9225



**9601-N95S**

N95, Small Size

NIOSH TC-84A-9287



Product No.	Description	Size	Exhalation Valve	Carbon layer	Packaging	Approval
801-N95	N95 Flat Folded Respirator	L, M	-	-	30 masks/box; 12 boxes/case	TC-84A-9223
9601-N95	N95 Flat Folded Respirator	L, M	-	-	20 masks/box; 12 boxes/case	TC-84A-9225
9601-N95S		S	-	-	20 masks/box; 12 boxes/case	TC-84A-9287

# N95 MASK



**SH9550**  
N95  
NIOSH TC-84A-3713



**SH9550V**  
N95, Valved  
NIOSH TC-84A-3714



**SH9550C**  
N95, OV  
NIOSH TC-84A-3713



**SH9550CV**  
N95, Valved, OV  
NIOSH TC-84A-3714



**SH9550A**  
N95, OV/AG  
NIOSH TC-84A-3713



**910-N95FMX**  
N95  
NIOSH TC-84A-4541  
FDA 510K: K020474



**SH2550**  
N95  
NIOSH TC-84A-4007



**SH2550V**  
N95, Valved  
NIOSH TC-84A-4008



**SH2550C**  
N95, OV  
NIOSH TC-84A-4007



**SH2550CV**  
N95, Valved, OV  
NIOSH TC-84A-4008



**SH2550A**  
N95, OV/AG  
NIOSH TC-84A-4007



**510-N95W**  
N95  
NIOSH TC-84A-4654

\*Valved=With Exhalation Valve.

\*OV=With active carbon pre-filter against nuisance organic vapor (OV) below PEL.

\*OV/AG=With acid-resistant active carbon pre-filter against nuisance organic vapor (OV) and acid gas (AG) below PEL.

\*NR D=Pass EN 149:2001+A1:2009 Dolomite (D) clogging test.

# N99 & P95 & R95 MASK



**N99-820V**  
N99, Valved  
NIOSH TC-84A-7639



**R95-610V**  
R95, Valved  
NIOSH TC-84A-5154



**R95-610V**  
R95, Valved  
NIOSH TC-84A-5041

Product No.	Description	Size	Exhalation Valve	Packaging	Approval
N99-820V	N99 Respirator with Exhalation Valve	L, M	V	10 masks/box; 12 boxes/case	TC-84A-7639
P95-710VOV	P95 Respirator with Valve (Nuisance Organic Vapors)	L, M	V	10 masks/box; 12 boxes/case	TC-84A-5041
MK710-P95VOV	P95 Respirator with Valve (Nuisance Organic Vapors)	L, M	V	10 masks/box; 12 boxes/case	TC-84A-7528
MK710-P95V	P95 Respirator with Valve	L, M	V	10 masks/box; 12 boxes/case	TC-84A-7696
R95-610V	R95 Respirator with Valve	L, M	V	10 masks/box; 12 boxes/case	TC-84A-5154
R95-620V	R95 Respirator with Valve	L, M	V	10 masks/box; 12 boxes/case	TC-84A-5437
MK610-R95OV	R95 Respirator	L, M	-	10 masks/box; 12 boxes/case	TC-84A-7619

# FFP1 MASK



**SH9100**  
EN149:2001 FFP1  
NR D



**SH9100V**  
EN149:2001 FFP1  
NR D, Valved



**SH9100C**  
EN149:2001 FFP1  
NR D, OV



**SH9100CV**  
EN149:2001 FFP1  
NR D, Valved, OV



**SH9100A**  
EN149:2001 FFP1  
NR D, OV/AG



**SH1100**  
EN149:2001 FFP1  
NR



**SH1710**  
EN149:2001 FFP1  
NR D



**SH1710V**  
EN149:2001 FFP1  
Valved, NR D



**FP1SLFM**  
EN149:2001 FFP1  
NR



**FP1VSLFM**  
EN149:2001 FFP1  
NR, Valved



**FP1VSLOVFM**  
EN149:2001 FFP1  
NR, Valved, Nuisance Organic Vapors

\*Valved=With Exhalation Valve.

\*OV=With active carbon pre-filter against nuisance organic vapor (OV) below PEL.

\*OV/AG=With acid-resistant active carbon pre-filter against nuisance organic vapor (OV) and acid gas (AG) below PEL.

\*NR D=Pass EN 149:2001+A1:2009 Dolomite (D) clogging test.

# FFP2 & FFP3 MASK



**SH9250**  
EN149:2001 FFP2  
NR D



**SH9250V**  
EN149:2001 FFP2  
NR D, Valved



**SH9250CV**  
EN149:2001 FFP2  
NR D, Valved, OV



**SH9250AV**  
EN149:2001 FFP2  
NR D, Valved, OV/AG



**SH1720**  
EN149:2001 FFP2  
NR D



**SH1720V**  
EN149:2001 FFP2  
NR D, Valved



**FP2SLFM**  
EN149:2001 FFP2  
NR



**FP2SLFM**  
EN149:2001 FFP2  
NR, Valved



**SH1730V**  
EN149:2001 FFP3  
NR D, Valved



**SH9360V**  
EN149:2001 FFP3  
NR D, Valved



**FP3SLFM**  
EN149:2001 FFP3  
NR



**FP3VSLFM**  
EN149:2001 FFP3  
NR, Valved

\*Valved=With Exhalation Valve.

\*OV=With active carbon pre-filter against nuisance organic vapor (OV) below PEL.

\*OV/AG=With acid-resistant active carbon pre-filter against nuisance organic vapor (OV) and acid gas (AG) below PEL.

\*NR D=Pass EN 149:2001+A1:2009 Dolomite (D) clogging test.

# DISPOSABLE MASK



**101W**



**201W**



**102P**



**103B**



**202P**




**203B**

- Protection from air pollutants and harmful dust and powder
- Adjustable metal nosepiece
- Made of 100% polyester fiber
- Ultrasonically welded headstrap
- 100% LATEX FREE
- Fluid resistant material

Product No.	Description	Packaging
101W	White	50 masks/box; 10, 12 or 20 boxes/case
102P	Pink	50 masks/box; 10, 12 or 20 boxes/case
103B	Blue	50 masks/box; 10, 12 or 20 boxes/case
201W	White	50 masks/box; 10, 12 or 20 boxes/case
202P	Pink	50 masks/box; 10, 12 or 20 boxes/case
203B	Blue	50 masks/box; 10, 12 or 20 boxes/case



**P603BE**



**P603BT**

- BFE >99%
- Protection from air pollutants and harmful dust and powder
- Adjustable metal nosepiece
- Made of 100% polyester fiber
- Ultrasonically welded headstrap
- 100% LATEX FREE
- Fluid resistant material

Product No.	Description	Packaging
P603BE	Blue, Standard Procedure Ear Loop Mask	50 masks/box; 10, 12 or 20 boxes/case
P603BEF	Blue, Premium Procedure Ear Loop Mask	50 masks/box; 10, 12 or 20 boxes/case
P603BT	Blue, Premium Tie-On Mask	50 masks/box; 10, 12 or 20 boxes/case

# KIDS MASK



**880S Duck**



**880S Unicorn**



- 3D contoured design
- Disposable hygienic
- Bacterial Filtration Efficiency (BFE)  $\geq 99\%$
- Particle Filtration Efficiency (PEF)  $\geq 95\%$
- Soft, lightweight, comfortable, odorless, fluid resistant
- Latex free, non-irritating on the skin
- Recommended for ages: 4 - 10

Product No.	Description	Packaging
880S	White, Duck, Unicorn, Robot, plain white	50PCS/box, 20boxes/CTN



**P603BES**



- Bacterial Filtration Efficiency (BFE)  $\geq 95\%$
- Fluid resistant
- 100% fiber glass and latex free
- Skin-friendly inner lining
- Super soft elastic ear loop
- Recommended for ages: 8 - 17

Product No.	Description	Packaging
P603BES	Blue	50PCS/box, 40boxes/CTN

# 3D MASK BRACKET & ADJUSTABLE MASK EXTENDER

## 3D Adult Face Mask Bracket



MU-10201



Quick buckle design




Before use



After use

- Ultra lightweight, reusable frame is made of soft and non-toxic PP material
- The adjustable design of the bracket fits the face shape and is more comfortable
- Make the mask not close to the nose and mouth, and breathe more comfortably
- Reduce the sultry feeling when wearing a mask
- Assembled dimension: 11.7(W) x 8(H) cm
- Weight≈ 3.4g, Made in Taiwan

## Adjustable Mask Extender



PN: MU-10202: 18 x 1.7cm

PN: MU-10203: 12.6 x 1.4cm



Wearing position (1)



Wearing position (2)

- Relieve ear pain and pressure caused by wearing a mask
- Durable and easy to use, can be adjusted according to needs
- Suitable for adults and children
- Made of PE plastic, washable and easy to clean
- Size: 18 x 1.7cm, weight≈ 2.8g(MU-10202), 12.6 x 1.4cm, weight≈ 1.8g (MU-10203)
- Color: black, purple, green, blue, red, gray
- Made in Taiwan

# EARMUFFS



**MU-19130**  
• Lightweight



**MU-19131**  
• Lightweight  
• Dielectric



**MU-19132**  
• Lightweight  
• Dielectric



**MU-19134**  
• Suitable for shooting  
• Lightweight

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19130	28	27.6	ANSI, CE
MU-19131	18	23.9	ANSI, CE

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19132	25	26.1	ANSI, CE
MU-19134	22	34	ANSI, CE



**MU-19135**  
• Foldable design  
• Lightweight



**MU-19136**  
• Foldable design  
• Easy storage

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19135	27	24.3	ANSI, CE
MU-19136	32	29.8	ANSI, CE



**MU-19138**  
• Lightweight  
• Dielectric



**MU-19139**  
• Folding headband  
• Option: NRR:37 dB

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19138	35	22.5	ANSI, CE
MU-19139	34	28.5	ANSI, CE



**MU-19141**  
• Lightweight  
• Dielectric



**MU-19142**  
• FM radio  
• MP3 audio line in  
• 1.5V x 2 AA batteries

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19141	34	28.5	ANSI, CE
MU-19142	24	28	ANSI, CE



**MU-19143**  
• Level dependent  
• Electronic  
• 1.5V x 2 AA batteries



**MU-19144**  
• FM radio  
• 1.5V x 2 AA batteries

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19143	31	27	ANSI, CE
MU-19144	28	25	ANSI, CE

# EARMUFFS



Blue

Pink

## MU-19145 Kid

- Suitable for children from 4 to 12 years old

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19145	23.2	24.2	ANSI, CE



Blue

Pink

## MU-19152 Babies & Kids

- Suitable for 6 months to 4 years old

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19152	22.6	28.4	ANSI, CE



## MU-19147

- Foldable design
- 3 position adjustable

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19147	22	29	ANSI, CE
MU-19148	27	-	ANSI



## MU-19148

- Foldable design



## MU-19149

- Extra thick cups
- SNR: 33 dB

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19149	-	33	CE
MU-19150	26	-	ANSI



## MU-19150

- Stainless steel headband



## MU-19151

- Behind-the-neck
- Easy use with hard hats
- Color: Red, Yellow

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19151	25	-	ANSI
MU-19153	27	24.3	ANSI, CE



## MU-19153

- Pocket size, thin & light
- Two-color cup
- Color: red & black, yellow & black, white & blue



## MU-19203

- Lightweight
- Dielectric
- Foldable design

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19203	23	26	ANSI, CE
MU-19205	29	29	ANSI, CE



## MU-19205

- Lightweight
- Dielectric
- Foldable design

# EARMUFFS



**MU-19213**  
 • Lightweight  
 • Dielectric



**MU-19216**  
 • Lightweight  
 • Dielectric



**MU-19216**  
 • Foldable  
 • Soft headband strap



**MU-19217**  
 • Foldable  
 • Color: Red, Yellow

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19213	23	26	ANSI, CE
MU-19215	29	29	ANSI, CE

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19216	30	25	ANSI, CE
MU-19217	25	32	ANSI, CE



**MU-19220**  
 • Wire Earmuffs  
 • EVA soft headband



**MU-19221**  
 • Wire Earmuffs  
 • EVA soft headband

Product No.	NRR (dB)	SNR (dB)	Standards
MU-19220	-	32	CE
MU-19221	28	32	ANSI, CE



# EARMUFFS FOR HELMET



**MU-40101** \*ASSY: Safety Helmet MU-27121

NRR: 22dB, SNR: 25.9dB

ANSI S12.42/S3.19 CE EN352-1



**MU-40102** \*ASSY: Safety Helmet MU-27124

NRR: 22dB, SNR: 25.9dB

ANSI S12.42/S3.19 CE EN352-1



**MU-40103** \*ASSY: Safety Helmet MU-27127

NRR: 30dB, SNR: 23dB

ANSI S12.42/S3.19 CE EN352-1



**MU-40104** \*ASSY: Safety Helmet MU-27123

NRR: 30dB, SNR: 23dB

ANSI S12.42/S3.19 CE EN352-1



**MU-40105**

\*ASSY: Safety Helmet MU-27125

NRR: 23dB

ANSI S12.42/S3.19

Product No.	Material	Color	NRR	SNR	Fit Safety Helmets
MU-40101	POM & PVC	Red, Yellow	22dB	25.9dB	Only suitable for general helmets, 310mm x 3.5mm hole on the hat side, such as:
MU-40102	POM & PVC	Red with Black, Yellow with Black	22dB	25.9dB	
MU-40103	POM & PVC	Red, Yellow	30dB	23dB	MU-27120, MU-27121, MU-27122, MU-27123, MU-27124, MU-27125, MU-27126, MU-27127, MU-27128, MU-27129.
MU-40104	POM & PVC	Red & Black, Yellow & Black, Blue & Black	30dB	23dB	
MU-40105	POM & PVC	Red, Yellow	23dB	N/A	

# EARPLUGS



MU-20101  
• PU Foam



MU-20102  
• PU Foam

Product No.	NRR (dB)	SNR (dB)	Standards	Cord
MU-20101	32	34	ANSI, CE	Option
MU-20102	24	27	ANSI, CE	Option



MU-20103  
• PU Foam



MU-20104  
• PU Foam

Product No.	NRR (dB)	SNR (dB)	Standards	Cord
MU-20103	32	34	ANSI, CE	Option
MU-20104	29	33	ANSI, CE	Option



MU-20105  
• PU Foam



MU-20106  
• PU Foam

Product No.	NRR (dB)	SNR (dB)	Standards	Cord
MU-20105	21	20	ANSI, CE	Option
MU-20106	25	29	ANSI, CE	Option



MU-20112  
• Silicone



MU-20114  
• PU Foam

Product No.	NRR (dB)	SNR (dB)	Standards	Cord
MU-20112	27	-	ANSI	Option
MU-20114	-	37	CE	Option



MU-20122  
• Silicone



MU-20123  
• TPR

Product No.	NRR (dB)	SNR (dB)	Standards	Cord
MU-20122	24	29	ANSI, CE	Option
MU-20123	27	26	ANSI, CE	Option



MU-20125  
• Detectable  
• Silicone




MU-20126  
• Banded

Product No.	NRR (dB)	SNR (dB)	Standards	Cord
MU-20125	32	37	ANSI, CE	Option
MU-20126	18	20	ANSI, CE	Banded



MU-20127  
• Banded



MU-20128  
• Banded  
• Folding

Product No.	NRR (dB)	SNR (dB)	Standards	Banded
MU-20127	21	21	ANSI, CE	Yes
MU-20128	-	24	ANSI, CE	Yes



MU-20129  
• Banded  
• Scalable



Product No.	NRR (dB)	SNR (dB)	Standards	Banded
MU-20129	-	26	CE	Yes

# EARPLUGS



MU-20130



MU-20131



MU-20132



MU-20133

## Triple Leaf Style Rubber Ear Plug

Product No.	NRR (dB)	SNR (dB)	Nylon Neck String	PP Box	Standards
MU-20130	24	25	-	-	ANSI, CE
MU-20131	24	25	With	-	ANSI, CE
MU-20132	24	25	-	With	ANSI, CE
MU-20134	24	25	With	With	ANSI, CE



MU-20134



MU-20135



MU-20136



MU-20137

## Triple Mushroom Rubber Ear Plugs

Product No.	NRR (dB)	SNR (dB)	Nylon Neck String	PP Box	Standards
MU-20134	23	25	-	-	ANSI, CE
MU-20135	23	25	With	-	ANSI, CE
MU-20136	23	25	-	With	ANSI, CE
MU-20137	23	25	With	With	ANSI, CE



MU-20138



MU-20139



MU-20140



MU-20141

## Rubber Four Leaf Ear Plugs

Product No.	NRR (dB)	SNR (dB)	Nylon Neck String	PP Box	Standards
MU-20138	28	27	-	-	ANSI, CE
MU-20139	28	27	With	-	ANSI, CE
MU-20140	28	27	-	With	ANSI, CE
MU-20141	28	27	With	With	ANSI, CE



• Banded

MU-20142



• Banded

MU-20143

Product No.	NRR (dB)	SNR (dB)	Standards	Banded
MU-20142	26	19	ANSI, CE	Yes
MU-20143	26	19	ANSI, CE	Yes

# BACK SUPPORT BELT



MU-02102



MU-02103 • Enhanced Back Support Belt



MU-02104 • No elastic straps



MU-02105 • With Yellow Reflective Tape

Product No.	Material	Size	Color
MU-02102	Poly & Brush Fabric, Magic Tape, Elastic	S, M, L, XL, XXL	Black
MU-02103	Poly & Brush Fabric, Magic Tape, Elastic	S, M, L, XL, XXL	Black
MU-02104	Poly & Brush Fabric, Magic Tape	S, M, L, XL, XXL	Black
MU-02105	Poly & Brush Fabric, Magic Tape, Elastic	S, M, L, XL, XXL	Orange, Black



MU-02106 • With White Reflective Tape



MU-02107 • Breathable Design



MU-02108 • Beautiful hot selling models, two-piece design, remind to be in good shape



Product No.	Material	Size	Color
MU-02106	Poly & Brush Fabric, Magic Tape, Elastic	S, M, L, XL, XXL	White, Black
MU-02107	Poly & Brush Fabric, Magic Tape, Elastic	S, M, L, XL, XXL	Black
MU-02108	Poly & Brush Fabric, Magic Tape	S, M, L, XL, XXL	Black

# SAFETY HOOD



MU-65101

## MU-65101 Chemical Hood

- Twin filter design (Twin cartridge respirator)
- Light weight
- Head, face, eyes and breathing (lungs) protection
- Against spray paint, dust and solvents
- Made in Taiwan

### Fit Chemical Cartridges:

- MU-23101-RC201: For dust.
- MU-23102-RC202: For organic vapours, mists and fumes of low toxicity.
- MU-23103-RC203: For spray painting and organic vapours of low toxicity.
- MU-23105-RC205: For acid gases of low toxicity.
- MU-23106-RC206: For organic, inorganic vapours and acid gases of low toxicity.
- MU-23109-RC209: For agricultural spray.



Product No.	Color	Visor	Fit Chemical Cartridges
MU-65101	Yellow	Replaceable	MU-23101-RC201, MU-23102-RC202, MU-23103-RC203, MU-23105-RC205, MU-23106-RC206, MU-23109-RC209



MU-65102

## MU-65102 Sandblast Hood

- Suitable for various sandblasting operations
- Adjustable air regulator to provide smooth air flow
- Replaceable visor
- Made in Taiwan



MU-65103

## MU-65103 Spray Painting Hood

- Suitable for various painting operations
- Adjustable air regulator to provide smooth air flow
- Replaceable visor
- Made in Taiwan

Product No.	Color	Visor	Air Supply Device
MU-65102	Green	Replaceable	Adjustable air regulator

Product No.	Color	Visor	Air Supply Device
MU-65103	Yellow	Replaceable	Adjustable air regulator



MU-65104

## MU-65104 Arc Welding Leather Hood

- Suitable for arc welding work
- Flip-up front lens holder
- Suitable for narrow working environment
- Made in Taiwan



MU-65105

## MU-65105 Air-Supplied Mask

- Include: half mask, waist belt, adjuster and quick connector
- Adjustable air regulator to provide smooth air flow
- Made in Taiwan

Product No.	Material	Visor	Lens Holder	Standards
MU-65104	Leather	Replaceable	Flip-Up Front	ANSI Z87.1

Product No.	Color	Product Composition
MU-65105	Black	Half face mask, Waist belt, Connector

# SAFETY VEST



**MU-55101**  
High visibility safety vest.  
Fabric: 100% polyester.  
Hook and loop fastener.  
5cm reflective tapes, EN iso 20471 class 2.  
Color: yellow, orange, customized.  
Size: S-5XL.



**MU-55102**  
High visibility safety vest.  
Fabric: 100% polyester.  
Hook and loop fastener/ zipper closure.  
3.5cm reflective tapes, en iso 20471 class 2.  
Color: yellow, orange, customized.  
Size: S-5XL.



**MU-55103**  
100% elastic band.  
Heat transfer film.  
Packing: 1pc/opp bag, 100pcs/ctn.  
Black button closure.  
High reflective tape.  
Logo available.



**MU-55159**  
100% polyester knitted waistcoat or oxford.  
EN 20471-class2 reflective tapes.  
EN 20471 120g 100%polyester knitted.  
Color: fluorescent yellow or orange.  
Size: S-3XL.



**MU-55160**  
100% polyester 120g.  
Reflective tape en20471.  
Color: fluorescent yellow or orange.  
Size: S-3XL.



**MU-55173**  
Economic safety vest.  
Fabric: 100% polyester.  
Side release buckle.  
Color: yellow, orange, customized.  
Size: S-5XL.

# SAFETY VEST & SAFETY HELMET NECK SUNSHADE



## MU-55174

Fabric: 100%,120g polyester.  
 Reflective tape standard EN20471 i,ii.  
 Fluorescent yellow or orange, customized.  
 Size: S-3XL.  
 High-visibility.

## MU-55175

Fabric: 100%,120g polyester.  
 Reflective tape standard EN20471 i,ii.  
 Fluorescent yellow or orange, customized.  
 Size: S-3XL.  
 High-visibility.



## MU-55176

Economic safety vest.  
 Fabric: 100% polyester.  
 Hook and loop fastener.  
 Color: yellow, orange, customized.  
 Size: S-5XL.

## MU-55177

Size: 54\*58cm.  
 Unit Weight: 215G.  
 5cm wide W shape of PVC tape.  
 Yellow color.  
 Elastic Bands on both sides.  
 Hook and Loop Fastener on the front.



## MU-55301

Safety reflective cap  
 Size: free size.  
 Color: yellow and grey.  
 Material: 100% polyester.

## MU-55601

Safety helmet neck sunshade  
 Size: free size.  
 Color: yellow and orange.  
 Material: 100% polyester, reflective tape.  
 Fits regular and full brim construction helmets.  
 High quality hi-vis polyester mesh.

## MU-55602

Full brim safety helmet neck sunshade  
 Size: free size.  
 Color yellow and orange.  
 Material:100% polyester, reflective tape.  
 Fits full brim construction helmets.  
 High quality hi-vis polyester mesh.

# WORKING GLOVES

**MU-52201**



\*10.5" Natural cow split leather.  
 \*Patched palm with stripe cotton pasted cuff.  
 \*Half lining.  
 \*A/B, B or B/C grade.

**MU-52202**



\*10.5" Natural cow split leather.  
 \*Patched palm with blue-black-red stripe cotton rubberized cuff.  
 \*Half lining.  
 \*A/B, B or B/C grade.

**MU-52203**



\*10.5" Yellow cow split leather.  
 \*Patched palm with yellow cotton rubberized cuff.  
 \*Half lining.  
 \*A/B, B or B/C grade.

**MU-52204**



\*10.5" Natural cow split leather.  
 \*Patched palm with yellow cotton rubberized cuff.  
 \*Half lining.  
 \*A/B, B or B/C grade.

**MU-52205**



\*10.5" Black cow split leather.  
 \*Patched palm with yellow cotton rubberized cuff.  
 \*Half lining.  
 \*A/B, B or B/C grade.

**MU-52206**



\*10.5" Natural cow split leather.  
 \*Patched palm with jean rubberized cuff.  
 \*Half lining.  
 \*A/B, B or B/C grade.

**MU-52207**



\*10.5" Natural cow split leather  
 \*patch palm+ green double palm with thumb and index finger  
 \*With X stitching on palm  
 \*White twilled fabric back and rubberize cuff  
 \*Half lining  
 \*A grade, A/B grade, B/C grade.  
 \*Packing: 10,5"

**MU-52208**



\*10.5" Nature cow split leather work gloves  
 \*Full palm,yellow cotton back  
 \*Rubberized cuff,half lining  
 \*AB grade, BC grade

**MU-52209**



\*10.5" Nature cowsplit leather gloves  
 \*Full palm,red twill back and rubberized cuff  
 \*Half lining  
 \*AB grade, BC grade

# FURNITURE LEATHER GLOVES

**MU-52210**



- \*10.5" Yellow cow split leather glove
- \*Red twill cotton
- \*Rubberized cuff
- \*Half lining
- \*AB grade

**MU-52211**



- \*10.5" Nature cow split leather gloves
- \*Patch palm with green reinforced palm
- \*Red twill back
- \*Rubberized cuff
- \*AB grade, BC grade

**MU-52212**



- \*10.5" Nature cow split leather glove
- \*Green reinforced palm
- \*Stripe green/grey/red stripe cotton
- \*Rubberized cuff
- \*Half lining
- \*BC grade

**MU-52213**



- \*10.5" Nature cow split leather gloves
- \*Patch palm with green reinforced palm
- \*Stripe blue/black/red back
- \*Rubberized cuff
- \*AB grade, BC grade

**MU-52601**



- \*10" Nature cowsplit leather gloves
- \*Palm and back full leather
- \*Straight thumb
- \*Unlined
- \*AB grade

**MU-52602**



- \*10" Gold cowsplit leather gloves
- \*Palm and back full leather
- \*Wing thumb
- \*Unlined
- \*AB grade



# FURNITURE LEATHER GLOVES

**MU-52401**



\*10.5" Furniture leather glove.  
\*Rainbow Patched palm with stripe pasted cuff.  
\*Half lining.

**MU-52402**



\*10.5" Furniture leather glove.  
\*Patched palm with pasted cuff.  
\* Half lining.

**MU-52403**



\*10.5" Furniture leather glove.  
\*Patched palm with rubberized cuff.  
\* Half lining.

**MU-52404**



\*10inch Furniture leather gloves  
\*Dark furniture leather gloves  
\*Patch back  
\*Unlined

**MU-52405**



\*10.5 Inch Dark furniture leather gloves  
\*Patch palm  
\*Blue/black/red stripe back and pasted cuff  
\*Half lining

**MU-52206**



\*10.5inch Dark furniture leather gloves  
\*Patch palm  
\*pPatch palm  
\*Yellow twill back and rubberized cuff  
\*Unlined

**MU-52407**



\*15 inch Dark furniture leather gloves  
\*Reinforced palm  
\*Unlined

**MU-52408**



\*15 inch Dark furniture leather gloves  
\*White twill cuff  
\*Unlined

# WELDING GLOVES

**MU-52501**



10.5" cow split leather welding glove.  
Natural with reinforce palm.  
No lining.  
A/B, B or B/C grade.

**MU-52502**



14" Natural cow split leather welding glove.  
Full palm.  
No lining.  
A/B, B or B/C grade.

**MU-52503**



11" Cow split leather welding glove.  
Full palm.  
One piece back.  
Welt seam.  
Full lining.  
Color: Different color available.  
AB, B or B/C grade.

**MU-52504**



Cow split leather welding glove.  
Full palm.  
One piece back, Welt seam.  
Full lining.  
Size: 14" ,16"  
Color: Different color available.  
A/B,B or B/C grade.

**MU-52505**



Cow split leather welding glove.  
Full palm.  
One piece back, Welt seam.  
Full lining.  
Size: 14" ,16"  
Color: Different color available.  
A/B, B or B/C grade.

**MU-52506**



Cow split leather welding glove.  
Full palm with reinforce leather on thumb.  
One piece back, Welt seam.  
Full lining.  
Size: 14" ,16"  
Color: Different color available.  
A/B, B or B/C grade

**MU-52507**



Cow split leather welding glove.  
Full palm with reinforce leather palm Welt seam.  
Full lining.  
Size: 14" ,16"  
Color: Different color available.  
A/B,B or B/C grade.

**MU-52508**



Cow split leather welding glove.  
Full palm with curved reinforce leather on thumb.  
One piece back, Welt seam.  
Full lining.  
Size: 14" , 16"  
Color: Different color available.  
A/B,B or B/C grade.

**MU-52509**



Cow split leather welding glove.  
Full palm with reinforce leather on palm, thumb and back.  
One piece back., Welt seam. Full lining.  
Size: 14" ,16"  
Color: Different color available.  
A/B,B or B/C grade.

# WELDING GLOVES

**MU-52510**



- \*14 inch Blue cow split leather welding gloves
- \*Blue cow split leather welding gloves
- \*golden yellow half welted seam
- \*Full lining, One piece back
- \*Self leather binding
- \*A grade, AB grade, BC grade
- \*Size available: 14"/16"/18"

**MU-52511**



- \*14 inch Red cowhide splits leather
- \*Self leather binding
- \*One piece back and black half welted seam with full lining
- \*A grade, AB grade, BC grade
- \*Size available: 14"/16"

**MU-52512**



- \*13 inch Green cow split leather
- \*One piece back
- \*Yellow half welted seam with full lining
- \*Self leather binding
- \*White inside the ramp
- \*A grade, AB grade, BC grade.
- \*Size available: 13", 14", 16"

**MU-52513**



- \*14" Natural cow split leather
- \*Self leather binding
- \*One piece back and natural half welted seam with full lining
- \*A grade, AB grade, BC grade
- \*Size available: 14", 16"

**MU-52514**



- \*11" blackish green cowhide split leather
- \*Yellow cloth binding
- \*full lining
- \*BC grade

**MU-52515**



- \*12" natural cowhide split leather
- \*apron double palm outside
- \*AB grade

**MU-52518**



- \*12" Red cowsplit welding gloves
- \*Full palm and back
- \*Leather cuff
- \*Welted seam
- \*Full lining
- \*AB, BC grade

**MU-52519**



- \*14" Nature cowsplit leather welder glove
- \*One piece leather back
- \*Welted seam
- \*Full lining
- \*AB, BC grade

**MU-52520**



- \*14" Red cowsplit leather welder glove
- \*One piece leather back
- \*Welted seam
- \*Full lining
- \*AB, BC grade

# WELDING GLOVES

**MU-52521**



- \*16" Red cow split leather welder glove
- \*One piece leather back
- \*Wetted seam
- \*Full lining
- \*AB, BC grade

**MU-52522**



- \*14" Blue cow split leather welder glove
- \*One piece leather back
- \*Wetted seam
- \*Full lining
- \*AB, BC grade

**MU-52523**



- \*14" Nature white sheep grain leather palm
- \*Nature cow split cuff and back
- \*Wetted seam
- \*Full lining
- \*AB grade

**MU-52524**



- \*14" Blue cow split leather welder glove
- \*Full knit lined (jersey on palm + white cotton inside cuff)
- \*Nine piece back, Wing thumb
- \*Yellow big reinforced palm
- \*Cuff and back
- \*With ordinary yellow thread sewing
- \*AB grade

**MU-52525**



- \*16" Orange cow split leather welding gloves
- \*Yellow color reinforcement on palm and thumb front and back
- \*One piece back
- \*Full lining (jersey on palm + white cotton inside cuff)

**MU-52526**



- \*14" Red cow split leather welder gloves
- \*One piece leather back
- \*Wetted seam
- \*Full lining
- \*AB, BC grade

**MU-52527**



- \*14" Blue cow split leather welder glove
- \*One piece leather back
- \*Full palm with curved reinforce leather on thumb
- \*Wetted seam
- \*Full lining
- \*AB, BC grade

**MU-52528**



**MU-52529**



**\*Customized products**

# LATEX COATING GLOVES

## MU-53101

- \*10 gauge polyester/polycotton liner
- \*Latex palm coating crinkle finish
- \*Polyester/polycotton liner color: Blue, Orange, Red, Yellow
- \*Latex palm coating color: Blue, Orange, Black(Gray), Green, Yellow
- \*CE EN388:2242
- \*Size:7, 8, 9, 10, 11
- \*Large size thumb crotch size:8, 9
- \*MU-53102 Thumb crotch reinforced



## MU-53102

\*MU-53102 Thumb crotch reinforced

Main Applications:

- \* Construction
- \* Gardening
- \* General use
- \* Labor use
- \* Resource collection



## MU-53106

- \*White Interlock Cotton liner
- \*Green latex
- \*3/4 dipping knit wrist
- \*Waved finish
- \*CE EN388:2241
- \*Size:9, 10, 11

Main Applications:

- \*Garbage collection
- \*Handle glass, metal and other sharp materials
- \*Wood and ceramics



## MU-53111

- \*15 gauge polyester seamless liner
- \*Double layer latex coating
- \*First layer fully smooth latex coating
- \*Second layer palm and thumb sandy latex coating
- \*Polyester seamless liner color:Green, Orange, Blue
- \*Fully smooth latex:Green, Orange, Blue
- \*Palm and thumb sandy latex coating color: Black, Blue
- \*CE EN388:2131
- \*Size:7, 8, 9, 10, 11

Main Applications:

- \*General processing
- \*Handle small castings
- \*Light metal manufacturing
- \*Other automotive applications
- \*Part assembly



# LATEX COATING GLOVES & NATURAL LATEX GLOVES

## MU-53112

- \*15 gauge polyester seamless liner
- \*Double layer latex coating
- \*First layer fully smooth latex coating
- \*Second layer palm and thumb sandy latex coating
- \*Polyester seamless liner color: Green, Orange, Blue
- \*Fully smooth latex: Green, Orange, Blue
- \*Palm and thumb sandy latex coating color: Black, Blue
- \*CE EN388:2131
- \*Size: 7, 8, 9, 10, 11
- \*Winter Design: Two-layer liner, 7 gauge acrylic liner

### Main Applications:

- \*General handling
- \*Handle small castings
- \*Light metal manufacturing
- \*Part assembly
- \*Other automotive applications



\*Winter Design



\*Winter Design

## MU-53113

- \*15 gauge seamless liner
- \*Fully smooth latex doubled with latex
- \*Special frosting
- \*Polyester seamless liner color: Green, Orange, Blue
- \*Fully smooth latex: Green, Orange, Blue
- \*Outer layer latex color: Black, Blue
- \*CE EN388:2131
- \*Size: 8, 9, 10, 11

### Main Applications:

- \*Agriculture
- \*Logistics
- \*Warehousing
- \*Fishery
- \*Gardening



## Reusable Natural Latex Gloves

### MU-53601

- \*Material: Natural Latex, Powder Free, Reusable
- \*Double-sided texture, Very fit hand design
- \*Length: 27cm(10.6"), Thickness: 0.3mm(11.811 mil)
- \*Weight: S(28g), M(32g), L(36g)
- \*Suitable for palm width: S(7.5cm), M(8.5cm), L(9.5cm)
- \*Size: S, M, L
- \*Made in Taiwan
- \*Ultra-thin(0.3mm), Ambidextrous
- \*Hand Protection against dirt and cleaning chemicals
- \*Non-Slip Grip with Textured Palm and Fingertips

### Main Applications:

- \*Gardening household cleaning work
- \*Dish washing
- \*Clothes washing
- \*Car washing, planting, painting, and gardening, etc



# ANTI-CUT GLOVES

## MU-53202

- \*13 gauge cut 5 seamless liner
- \*Grey PU palm coated
- \*Nylon, Lycra and HPPE, Glass fiber
- \*CE EN388:4543
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Gardening
- \*General maintenance
- \*Light Industry Engineering
- \*Mechanical assembly
- \*Storage
- \*Assembling components
- \*Glass manufacturing
- \*Metal handling
- \*Handling applications



## MU-53203

- \*13 gauge anti-cut5 liner
- \*Black nitrile foam coating
- \*U2 knitting process
- \*Size:7, 8, 9, 10, 11
- \*CE EN388:4543

### Main Applications:

- \*Gardening
- \*General maintenance
- \*Light Industry Engineering
- \*Mechanical assembly
- \*Storage



## MU-53204

- \*13 gauge anti-cut5 liner
- \*Black nitrile foam coating
- \*General knitting process
- \*Size:7, 8, 9, 10, 11
- \*CE EN388:4543

### Main Applications:

- \*Gardening
- \*General maintenance
- \*Light Industry Engineering
- \*Mechanical assembly
- \*Storage



## MU-53205

- \*18 gauge anti-cut3 liner
- \*Black microfoam nitrile
- \*Waterbased PU palm coated
- \*CE EN388:4X31C
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Gardening
- \*General maintenance
- \*Light Industry Engineering
- \*Mechanical assembly
- \*Storage
- \*Assembling components
- \*Glass manufacturing
- \*Metal handling
- \*Handling applications



## MU-53206

- \*15 gauge ANSI cut A4 liner
- \*Microfoam nitrile
- \*Waterbased PU palm coated
- \*CE EN388:4X43D
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Gardening
- \*General maintenance
- \*Light Industry Engineering
- \*Mechanical assembly
- \*Storage
- \*Assembling components
- \*Glass manufacturing
- \*Metal handling
- \*Handling applications



# NBR GLOVES

## MU-53301

- \*13 gauge polyester liner nitrile palm coating
- \*Smooth finish
- Color:
  - \*White polyester liner grey nitrile palm coating
  - \*Blue polyester liner grey nitrile palm coating
- \*CE EN388:4121
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*General maintenance
- \*General handling
- \*Light metal manufacturing
- \*Other automotive applications



## MU-53306

- \*White cotton jersey liner
- \*Blue nitrile 3/4 coating knit wrist
- \*CE EN388:4221
- \*Size:8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*Garbage collection
- \*General handling
- \*General maintenance
- \*Light metal manufacturing



## MU-53307

- \*White cotton jersey liner
- \*Blue nitrile fully coating knit wrist
- \*CE EN388:4221
- \*Size:8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*Garbage collection
- \*General handling
- \*General maintenance
- \*Light metal manufacturing



## MU-53308

- \*White cotton jersey liner
- \*Blue nitrile 3/4 coating safety cuff
- \*CE EN388:4221
- \*Size:8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*Garbage collection
- \*General handling
- \*General maintenance
- \*Light metal manufacturing



## MU-53307

- \*White cotton jersey liner
- \*Blue nitrile fully coating safety cuff
- \*CE EN388:4221
- \*Size:8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*Garbage collection
- \*General handling
- \*General maintenance
- \*Light metal manufacturing



# NBR GLOVES

## MU-53321

- \*15 gauge grey nylon and spandex liner
- \*Nitrile smooth fully coating first
- \*Second sandy nitrile palm and thumb coating
- \*Nitrile smooth fully coating Color:Blue & Black, Red & Black
- \*CE EN388:4131
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*Garbage collection
- \*General handling
- \*General maintenance
- \*Light metal manufacturing
- \*Other automotive applications



## MU-53337

- \*13gauge soft liner
- \*Single nitrile palm coated
- \*Sandy finish
- \*Liner Color:Red, Blue, Purple
- \*CE EN388:4121
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*Garbage collection
- \*General handling
- \*General maintenance
- \*Light metal manufacturing
- \*Other automotive applications



Liner Color:Blue

## MU-53338

- \*Gray 15G nylon liner
- \*Black Nitrile smooth finish
- \*CE EN388:4121
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*General handling
- \*General maintenance
- \*Logistics
- \*Warehousing



## MU-53339

- \*Black 13G nylon & spandex liner
- \*Black Nitrile smooth finish
- \*CE EN388:4121
- \*Size:7, 8, 9, 10, 11

### Main Applications:

- \*Assembly and organization
- \*General handling
- \*General maintenance
- \*Logistics
- \*Warehousing



## MU-53366

- \*18G nylon seamless line
- \*Fully nbr coating
- \*Palm & thumb special grip design
- \*Fully nbr coating color: Green, Bright green
- \*CE EN388:4131
- \*Size:8, 9, 10, 11

### Main Applications:

- \*Assemble components
- \*General processing
- \*Maintain
- \*Warehouse



# NITRILE & WATERBASE PU PALM COATING GLOVES

## MU-53401

- \*15G nylon&spandex liner
- \*Microfoam Nitrile & Waterbase PU palm coated
- \*CE EN388:4131
- \*Size:6, 7, 8, 9, 10, 11, 12

### Main Applications:

- \*Assembly and organization
- \*General handling
- \*General maintenance
- \*Logistics
- \*Warehousing
- \*MU-53402:With Touch screen function
- \*MU-53403:With Water proof function



## MU-53404

- \*15G nylon & spandex liner
- \*Microfoam Nitrile & Waterbase PU palm coated
- \*DOTS
- \*CE EN388:4131
- \*Size:6, 7, 8, 9, 10, 11, 12

### Main Applications:

- \*Assembly and organization
- \*General handling
- \*General maintenance
- \*Logistics
- \*Warehousing



## MU-53405

- \*15G HI-VIZ YELLOW nylon & spandex liner
- \*Microfoam Nitrile & Waterbase PU palm coated
- \*CE EN388:3131
- \*Size:6, 7, 8, 9, 10, 11, 12

### Main Applications:

- \*Assembly and organization
- \*General handling
- \*General maintenance
- \*Logistics
- \*Warehousing



## MU-53406

- \*15G nylon&spandex liner
- \*Microfoam Nitrile&Waterbase PU palm coated
- \*Thumb crotch reinforced
- \*CE EN388:4131

### Main Applications:

- \*Assembly and organization
- \*General handling
- \*General maintenance
- \*Logistics
- \*Warehousing



# PU COATING GLOVES & NATURAL LATEX GLOVES

## MU-53501

- \*13 gauge polyester seamless liner
- \*PU palm coating
- \*Polyester seamless liner color:Black, Gray, White
- \*PU palm coating color:Black, Gray, White
- \*CE EN388:4131

### Main Applications:

- \*Assembling small parts
- \*Product inspection
- \*Electronic
- \*General processing



# KNEE BRACE



MU-01101



MU-01102



MU-01103



MU-01104



MU-01105



MU-01106



MU-01107

Product No.	Material	Color
MU-01101	600D Polyester Fabric, PVC Form	Black, Customization is welcome
MU-01102	600D Polyester Fabric, PVC Form	Black, Customization is welcome
MU-01103	600D Polyester Fabric, PVC Form	Blue, Customization is welcome
MU-01104	600D Polyester Fabric, PVC Form	Red, Customization is welcome
MU-01105	600D Polyester Fabric, PVC Form	Blue, Customization is welcome
MU-01106	600D Polyester Fabric, PVC Form	White, Customization is welcome
MU-01107	Neoprene	Green, Customization is welcome

# PVC TRAFFIC CONE

## PVC Traffic Cone



MU-29128



MU-29129



MU-29130



MU-29131



MU-29132

• 150mm+100mm Reflex Tape



MU-29133



MU-29134



MU-29135



MU-29136



MU-29137

- PVC material
- Fluorescent orange
- Color can be customized
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan



Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29128	100	0.05kg	100 x 100
MU-29129	150	0.15kg	210 x 210
MU-29130	300	0.5kg, 0.8kg	210 x 210
MU-29131	450	1.05 kg, 1.25kg, 1.37kg	270 x 270
MU-29132	500	1.25kg, 1.70kg, 1.80kg	270 x 270
MU-29133	700	2.50kg, 3.00kg, 3.20kg, 3.50kg, 4.00kg	365 x 365
MU-29134	710	1.85kg, 2.00kg, 2.25kg, 2.45kg	365 x 365
MU-29135	750	2.75kg, 3.00kg, 4.00kg	370 x 370
MU-29136	900	3.35kg, 3.67kg, 3.95kg, 4.30kg, 5.03kg, 6.00kg	370 x 370
MU-29137	1000	4.00kg, 5.00kg, 6.00kg	370 x 370

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29128	4	0.11 lbs	3.93 x 3.93
MU-29129	6	0.33 lbs	8.26 x 8.26
MU-29130	12	1.1 lbs, 1.76 lbs	8.26 x 8.26
MU-29131	18	2.3 lbs, 2.75 lbs, 3.01 lbs	10.62 x 10.62
MU-29132	20	2.75lbs, 3.74 lbs, 3.96lbs	10.62 x 10.62
MU-29133	28	5.5 lbs, 6.6 lbs, 7.04 lbs, 7.7 lbs, 8.8 lbs	14.37 x 14.37
MU-29134	28	4.07 lbs, 4.4 lbs, 4.95 lbs, 5.39 lbs	14.37 x 14.37
MU-29135	30	6.05 lbs, 6.6 lbs, 8.8 lbs	14.56 x 14.56
MU-29136	36	7.37 lbs, 8.07 lbs, 8.69 lbs, 9.46 lbs, 11.06 lbs, 13.2 lbs	14.56 x 14.56
MU-29137	40	8.8 lbs, 11 lbs, 13.2 lbs	14.56 x 14.56

# PVC TRAFFIC CONE

## V Shape PVC Traffic Cone



Viewing angle: 0°



Viewing angle: 90°



Viewing angle: 180°



Viewing angle: 270°

- V shape reflective tape, when viewed from different angles, the shape is different
- PVC material
- Fluorescent Orange
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)	Reflective Tape
MU-29501	700	3.0kg, 5.0kg	365 x 365	Non
MU-29502	700	3.0kg, 5.0kg	365 x 365	With V Shape Reflective Tape

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)	Reflective Tape
MU-29501	28	6.61 lbs, 11.02 lbs	14.37 x 14.37	Non
MU-29502	28	6.61 lbs, 11.02 lbs	14.37 x 14.37	With V Shape Reflective Tape

## Slim PVC Traffic Cone

- 150mm+100mm Reflective Tape



MU-29201



MU-29202



MU-29203



MU-29203

- PVC material
- Fluorescent Orange
- Slim Body design
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29201	700	2.35kg, 2.50kg	360 x 360
MU-29202	750	2.40kg, 2.55kg	360 x 360
MU-29203	900	3.6kg, 4.05kg, 4.3kg, 5.0kg, 6.2kg	370 x 370

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29201	28	5.06 lbs, 5.5 lbs	14.17 x 14.17
MU-29202	30	5.68 lbs, 5.61 lbs	14.17 x 14.17
MU-29203	36	7.92 lbs, 8.91 lbs, 9.46 lbs, 11 lbs, 13.64 lbs	14.56 x 14.56

# BLACK BASE PVC TRAFFIC CONE

## Black Base PVC Traffic Cone

### Oval shape



MU-29138



MU-29139



MU-29140

- PVC material
- Fluorescent orange body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29138	450	1.10kg, 1.25kg, 1.37kg, 1.75kg	270 x 270
MU-29139	700	2.00kg, 2.30kg, 2.50kg, 3.00kg, 3.20kg, 3.50kg, 4.00kg, 4.50kg	365 x 365
MU-29140	900	3.70kg, 4.00kg, 4.30kg, 5.00kg	370 x 370

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29138	18	2.4 lbs, 2.75 lbs, 3.01 lbs, 3.85lbs	10.62 x 10.62
MU-29139	28	4.4 lbs, 5.06 lbs, 5.5 lbs, 6.82 lbs, 7.04 lbs, 7.74 lbs, 8.8 lbs, 9.9 lbs	14.37 x 14.37
MU-29140	36	8.14 lbs, 8.8 lbs, 9.46 lbs, 11.0 lbs	14.56 x 14.56

## Black Base PVC Traffic Cone

### Tooth Shape



MU-29151



MU-29152



MU-29153

- PVC material
- Fluorescent orange body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29151	450	1.10kg, 1.25kg, 1.37kg, 1.75kg	270 x 270
MU-29152	700	2.00kg, 2.30kg, 2.50kg, 3.00kg, 3.20kg, 3.50kg, 4.00kg, 4.50kg	365 x 365
MU-29153	900	3.70kg, 4.00kg, 4.30kg, 5.00kg	370 x 370

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29151	18	2.4 lbs, 2.75 lbs, 3.01 lbs, 3.85lbs	10.62 x 10.62
MU-29152	28	4.4 lbs, 5.06 lbs, 5.5 lbs, 6.82 lbs, 7.04 lbs, 7.74 lbs, 8.8 lbs, 9.9 lbs	14.37 x 14.37
MU-29153	36	8.14 lbs, 8.8 lbs, 9.46 lbs, 11.0 lbs	14.56 x 14.56

# BLACK BASE PVC TRAFFIC CONE

## Black Base PVC Traffic Cone

### Dot shape



MU-29171



MU-29172



MU-29173

- PVC material
- Fluorescent orange body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29171	450	1.25kg, 1.4kg	270 x 270
MU-29172	700	2.3kg, 2.5kg, 3.0kg, 3.2kg	370 x 370
MU-29173	900	3.7kg, 4.3kg	370 x 370

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29171	18	2.75 lbs, 3.1 lbs	10.62 x 10.62
MU-29172	28	5.06 lbs, 5.5 lbs, 6.6 lbs, 7.04 lbs	14.56 x 14.56
MU-29173	36	8.14 lbs, 9.46 lbs	14.56 x 14.56

## Black Base PVC Traffic Cone

### Classic Shape



MU-29451



MU-29452



MU-29454

- PVC material
- Fluorescent orange body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29451	450mm	1.4kg	270 x 270
MU-29452	700mm	2.5kg, 3.2kg	365 x 365
MU-29454	900mm	3.7kg	370 x 370

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29451	18	3.08 lbs	10.62 x 10.62
MU-29452	28	5.51 lbs, 7.05 lbs	14.37 x 14.37
MU-29454	36	8.15 lbs	14.56 x 14.56

# BLACK BASE PVC TRAFFIC CONE

## Black Base PVC Traffic Cone

### Tooth Shape



### Handle Design

- PVC material
- Fluorescent orange body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

MU-29161

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29161	750mm	2.50kg	365 x 365

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29161	30	5.51lbs	14.37 x 14.37

## Slim Black Base PVC Traffic Cone

- 150mm+100mm Reflective tape



MU-29204



MU-29205



MU-29205

- PVC material
- Fluorescent orange body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Slim Body design
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29204	700	2.5kg, 3.0kg	360 x 360
MU-29205	750	2.55kg, 3.05kg	360 x 360

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29204	28	5.5 lbs, 6.6 lbs	14.17 x 14.17
MU-29205	30	5.61 lbs, 6.71 lbs	14.17 x 14.17

# BLACK BASE PVC TRAFFIC CONE

## Colored PVC Traffic Cone with Black Base

### Top notch design



### Grooved design



MU-29601  
Green, 28"

MU-29602  
Blue, 28"

MU-29603  
Yellow, 28"

MU-29604  
Purple, 28"

MU-29605  
Robin Egg Blue, 28"

MU-29606  
Orange, 28"

- Top notch design
- Body grooved design
- PVC material
- Colored body, black base
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Color (Body)	Height (mm)	Weight (kg)	Base Width (mm)
MU-29601	Green	700	3.50kg	365 x 365
MU-29602	Blue	700	3.50kg	365 x 365
MU-29603	Yellow	700	3.50kg	365 x 365
MU-29604	Purple	700	3.50kg	365 x 365
MU-29605	Robin Egg Blue	700	3.50kg	365 x 365
MU-29606	Orange	700	3.50kg	365 x 365

Product No.	Color (Body)	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29601	Green	28	7.7 lbs	14.37 x 14.37
MU-29602	Blue	28	7.7 lbs	14.37 x 14.37
MU-29603	Yellow	28	7.7 lbs	14.37 x 14.37
MU-29604	Purple	28	7.7 lbs	14.37 x 14.37
MU-29605	Robin Egg Blue	28	7.7 lbs	14.37 x 14.37
MU-29606	Orange	28	7.7 lbs	14.37 x 14.37

# BLACK BASE PVC TRAFFIC CONE

## Super Reflective Black Base PVC Traffic Cone

• Handy design



• Convenient stacking design



MU-29701



MU-29702

• Body: 6pcs reflective tape

• Base: 8pcs reflective tape

- Handy design
- Convenient stacking design
- PVC material
- Fluorescent orange body, black base
- Cone body with 6pcs reflective tape
- Base with 8pcs reflective tape
- Total 14pcs reflective tape
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)	Reflective Tape
MU-29701	700	4.00kg	365 x 365	Body: Non Base: Non
MU-29702	700	4.00kg	365 x 365	Body: yellow (10cm) x 3pcs, orange (10cm) x 3pcs Base: reflective stickers x 8pcs

Product No.	Height (inch)	Weight (lbs)	Base Width (inch)	Reflective Tape
MU-29701	28	8.8 lbs	14.37 x 14.37	Body: Non Base: Non
MU-29702	28	8.8 lbs	14.37 x 14.37	Body: yellow (10cm) x 3pcs, orange (10cm) x 3pcs Base: reflective stickers x 8pcs

# PE TRAFFIC CONE

## PE Traffic Cone



MU-29801



MU-29801



• Base sharp

- PE (Polyethylene) material
- Fluorescent orange
- Reflective Tape: 85mm, 90mm, 100mm, 150mm, 85mm+85mm, 150mm+100mm
- Made in Taiwan

Product No.	Height (mm)	Weight (kg)	Base Width (mm)
MU-29801	700	1.2kg	270 x 270
Product No.	Height (inch)	Weight (lbs)	Base Width (inch)
MU-29801	28	2.6 lbs	10.62 x 10.62



# TRAFFIC CONE BAR

## Traffic Cone Bar

MU-30107



MU-30108



MU-30109



MU-30112



MU-30113



- Made in Taiwan
- MU-30111, MU-30112, MU-30113 End Ring: Soft PVC, Black Color

Product No.	Material	Tube Color	Retractable	Length (cm)	Reflective Stickers
MU-30107	ABS	Black	Not expandable	210cm	Yellow x 4pcs
MU-30108	ABS	Black	One-sided expansion	130cm - 210cm	Yellow x 4pcs
MU-30109	ABS	White	One-sided expansion	183cm - 321cm	Orange x 7pcs & White x 6pcs
MU-30111	ABS	Black	One-sided expansion	130cm - 210cm	Yellow x 4pcs
MU-30112	PVC	Black	One-sided expansion	130cm - 210cm	Yellow x 4pcs
MU-30113	PVC	Black	Not expandable	380cm	Yellow x 4pcs

Product No.	Material	Tube Color	Expandability	Length (ft)	Reflective Stickers
MU-30107	ABS	Black	Not expandable	6.8'	Yellow x 4pcs
MU-30108	ABS	Black	One-sided expansion	4.2' - 6.8'	Yellow x 4pcs
MU-30109	ABS	White	One-sided expansion	6' - 10.5'	Orange x 7pcs & White x 6pcs
MU-30111	ABS	Black	One-sided expansion	4.2' - 6.8'	Yellow x 4pcs
MU-30112	PVC	Black	One-sided expansion	4.2' - 6.8'	Yellow x 4pcs
MU-30113	PVC	Black	Not expandable	12.4'	Yellow x 4pcs

# TRAFFIC CONE TOPPER

## Cone Retractable Topper



MU-35101



MU-35102



MU-35104

• Material: Retractable Stripes Fabric Tape

Product No.	Stripes Fabric Tape Length (m)	Stripes Fabric Tap Width (cm)	Fabric Tap Color	Dimension (cm)	Weight (kg)
MU-35101	3.0m	4.5cm	Yellow & Black	23 x 9 x 9cm	0.25kg
MU-35102	3.0m	4.5cm	Red & White	23 x 9 x 9cm	0.25kg
MU-35103	9.0m	4.5cm	Yellow & Black	29 x 16 x 9cm	0.90kg
MU-35104	9.0m	4.5cm	Red & White	29 x 16 x 9cm	0.90kg

Product No.	Stripes Fabric Tape Length (ft)	Stripes Fabric Tap Width (inch)	Fabric Tap Color	Dimension (inch)	Weight (ounce)
MU-35101	9.84'	1.77"	Yellow & Black	9 x 3.54 x 3.54inch	8.81oz
MU-35102	9.84'	1.77"	Red & White	9 x 3.54 x 3.54inch	8.81oz
MU-35103	29.52'	1.77"	Yellow & Black	11.41 x 6.29 x 3.54inch	31.74oz
MU-35104	29.52'	1.77"	Red & White	11.41 x 6.29 x 3.54inch	31.74oz



# CAUTION BOARD & DELINEATOR POST

## Caution Board



MU-07102



Caution Board, warning board

\*Size: 62x30cm

\*Product weight: 0.72 kgs

\*The printed contents can be changed according to your requirement.

Product No.	Size	Weight	Material
MU-07102	62*30cm	0.72 kg	PP

## Diameter Delineator



MU-09121



MU-09122



MU-09123



MU-09124



MU-09125



MU-09126



MU-09127

Product No.	Height	Body Diameter	Base Diameter	Material
MU-09121	2.46' (75.5 cm)	0.26' (8 cm)	0.67' (20.5 cm)	EVA or PE
MU-09122	2.46' (75.5 cm)	0.29' (9 cm)	0.75' (23.0 cm)	EVA or TPU
MU-09123	2.46' (75.5 cm)	0.36' (11 cm)	0.75' (23.0 cm)	EVA or TPU
MU-09124	2.42' (74.0 cm)	0.26" (8 cm)	0.68' (21.0 cm)	EVA
MU-09125	2.42' (74.0 cm)	0.26" (8 cm)	0.68' (21.0 cm)	PU
MU-09126	2.46' (75.0 cm)	0.36' (11 cm)	0.82' (25.0 cm)	EVA
MU-09127	2.46' (75.0 cm)	0.36' (11 cm)	0.82' (25.0 cm)	PU

# PLASTIC CHAIN

## Single Color Chain

- Short link
- Good color fastness
- Convenient and durable
- Color: Black, Blue, Green, Orange, Purple, Red, White, Yellow, etc
- Made in Taiwan



Product No.	Diameter (mm)	Dimension (mm)		Dimension (mm)		Material
		A	B	C	D	
MU-21721	1.2	8.5	5	6	2.5	POM
MU-21722	1.5	10	5.5	6.5	2.5	POM
MU-21723	2	15	7.6	10	3.3	PE
MU-21724	3	19.5	10.5	12.5	3.9	PE
MU-21725	4	24.5	15	16	6.5	PE
MU-21726	5	36.5	20	27	8.5	PE
MU-21727	6	38.2	21.5	25.6	8.8	PE
MU-21728	8	51	28	37	12	PE
MU-21729	10	74	39.5	56	17.5	PE
MU-21730	12	72.6	44	45	16	PE

## Single Color Chain

- Long link
- Convenient
- Color: Black, Blue, Green, Orange, Purple, Red, White, Yellow, etc
- Made in Taiwan



Product No.	Diameter (mm)	Dimension (mm)		Dimension (mm)		Material
		A	B	C	D	
MU-21751	6	50.6	21	39	8	PE
MU-21752	8	64.5	26	49.5	9	PE
MU-21753	10	80	33	61.5	14	PE

# PLASTIC CHAIN

## Two Color Chain

- Short links
- 2 x 2 Links
- Color: Yellow & Black or Red & White
- Made in Taiwan



Product No.	Diameter (mm)	Dimension (mm)		Dimension (mm)		Material	Yellow & Black or
		A	B	C	D		Red & White
MU-21771	6	37.5	22	25.2	9.6	PE	2 x 2 Links
MU-21772	8	51.1	26.9	36.4	12	PE	2 x 2 Links

## Two Color Chain

- 5 x 5 Links: MU-21781
- 6 x 6 Links: MU-21782 & MU-21783
- Made in Taiwan
- Color: Yellow & Black or Red & White




Product No.	Diameter (mm)	Dimension (mm)		Dimension (mm)		Material	Yellow & Black or
		A	B	C	D		Red & White
MU-21781	6	51	21	38.8	8	PE	5 x 5 Links
MU-21782	8	65	26	50	9	PE	6 x 6 Links
MU-21783	10	82	33	64	14	PE	6 x 6 Links

# PLASTIC CHAIN

## Luminous Chain


- Short links
- Improve night visibility
- Made in Taiwan



Product No.	Diameter (mm)	Dimension (mm) A	Dimension (mm) B	Dimension (mm) C	Dimension (mm) D	Material
MU-21791	4	24.5	15	16	6.5	PE
MU-21792	6	38.2	21.5	25.6	8.8	PE
MU-21793	8	51	28	37	12	PE

## Electroplated Plastic Chain

- Plating
- Color: Golden, Silver
- Made in Taiwan



Product No.	Diameter (mm)	Dimension (mm) A	Dimension (mm) B	Dimension (mm) C	Dimension (mm) D	Material
MU-21801	4	24.5	15	16	6.5	PE
MU-21802	6	38.2	21.5	25.6	8.8	PE
MU-21803	8	51	28	37	12	PE

# S-HOOK

## Single Color S-Hook

- Connect the link between the chain and the column
- Simple and durable
- Good color fastness
- Made in Taiwan



MU-21601




MU-21603



MU-21604



MU-21605



Diameter: 4mm    Diameter: 6mm    Diameter: 6mm    Diameter: 8mm

Product No.	Diameter (mm)	Dimension (mm)			Material	Colors
		A	B	C		
MU-21601	4	29.5	8	8	PE	Black, Blue, Green, Orange, Purple, Red, White, Yellow, etc.
MU-21602	5	42	5	13	PE	
MU-21603	6	43	12	12	PE	
MU-21604	6	46	19	19	PE	
MU-21605	8	51.7	13	13	PE	
MU-21606	8	146	52	38	PP	
MU-21607	8	103	38	29	PP	
MU-21608	9	230	49	48	ABS	

## Luminous S-Hook

- Chain link connection with the column column
- Increase visibility at night
- Convenient and easy to use
- Made in Taiwan




MU-21621  
Diameter: 4mm



MU-21622  
Diameter: 6mm



MU-21623  
Diameter: 8mm



Product No.	Diameter (mm)	Dimension (mm)			Material	Colors
		A	B	C		
MU-21621	4	29.5	8	8	PE	Black, Blue, Green, Orange, Purple, Red, White, Yellow, etc.
MU-21622	6	43	12	12	PE	
MU-21623	8	51.7	13	13	PE	

# TRAFFIC CONE RING

## Traffic Cone Ring

- Multiple chains can be connected at the same time
- Bright colors
- Color: Red, Yellow
- Made in Taiwan



MU-21811




MU-21812



MU-21812



MU-21811




Product No.	Dimension (mm)- A	Dimension (mm)- B	Materail	Color
MU-21811	124	80	PE	Red
MU-21812	124	80	PE	Yellow




# REPAIR LINKS

## Repair Links

- Connect the chains together
- Link fence posts
- Bright colors
- Made in Taiwan
- New products have notched repair Links (MU-21851, MU-21852, MU-21853, MU-21854)



**MU-21831**



**MU-21832**




**MU-21833**



**MU-21834**

Product No.	Diameter (mm)	Dimension (mm)- A	Dimension (mm)- B	Material	Color
MU-21831	4	27	15	PE	Black, Blue, Green, Orange, Pink, Purple, Red, White, Yellow, Luminous, etc.
MU-21832	6	42	23	PE	
MU-21833	8	56	32	PE	
MU-21834	10	70	40	PE	



# LOCK SNAP HOOK

## Lock Snap Hook with Screw Joint


- Quickly and easily connect signs or chains
- Good color fastness
- Color: Black, Green, Red, White, Yellow, Luminous
- Made in Taiwan



MU-21871 White



MU-21871 Red



MU-21872 Yellow



MU-21873 & MU-21874


Product No.	Diameter (mm)	Dimension (mm)- A	Dimension (mm)- B	Dimension (mm)- C	Material	Color
MU-21871	6	59	24	7	PA	Black, Green, Red,
MU-21872	8	74	33	9	PA	White, Yellow
MU-21873	8	59	24	7	PP	Luminous
MU-21874	10	74	33	9	PP	Luminous



# SWIVEL EYE SNAP HOOK

## Swivel Eye Snap Hook


- Loaded plastic snap
- Connect the chains together or connect other facilities
- Color: Black, Red, White, Yellow
- Made in Taiwan



Product No.	Dimension (mm) - A	Dimension (mm) - B	Dimension (mm) - C	Material	Color
MU-21901	99	10	12	PA	Black, Green, Red, White, Yellow



# RAMP



Ramp	Material	Height	Size(L*W*H)	Weight	Remarks
MU-49001	PVC	5cm	30cm*25cm*5cm	1.75kg	One-piece design
MU-49002	PVC	6.5cm	30cm*25cm*6.5cm	2.15kg	One-piece design
MU-49003	PVC	8cm	30cm*25cm*8cm	2.5kg	One-piece design
MU-49201	PVC	9.5cm	35cm*25cm*9.5cm	4.20kg	Combination of upper and lower pads
MU-49202	PVC	11cm	35cm*25cm*11cm	4.55kg	Combination of upper and lower pads
MU-49203	PVC	12.5cm	41cm*25cm*12.5cm	6.30kg	Combination of upper and lower pads
MU-49204	PVC	14cm	41cm*25cm*14cm	6.65kg	Combination of upper and lower pads
MU-49205	PVC	15.5cm	46cm*25cm*15.5cm	8.75kg	Combination of upper and lower pads
MU-49206	PVC	17cm	46cm*25cm*17cm	9.00kg	Combination of upper and lower pads
MU-49301	PVC	2.5cm	50cm* 25cm*2.5cm	1.9kg	One-piece design
MU-49302	PVC	3.5cm	50cm* 25cm*3.5cm	2.35kg	One-piece design

# TRIANGLE WHEEL CHOCK



**MU-77101**



**MU-77102**



**MU-77103**



**MU-77104**



**MU-77105**

Product No.	Size(L*W*H)	Weight	Color	Material
MU-77101	20cm x 10cm x 15cm	3.52 lbs/ 1.6kg	Yellow	PVC
MU-77102	20cm x 10cm x 15cm	3.52 lbs/ 1.6kg	Black	PVC
MU-77103	27cm x 12cm x 18cm	6.16lbs/ 2.8kg	Yellow	PVC
MU-77104	27cm x 12cm x 18cm	6.16lbs/ 2.8kg	Black	PVC
MU-77105	26.8cm x 26.5cm x 19.8cm	13.64lbs/ 6.2kg	Black	PVC



Image by Stefan Lins from Pixabay

# EMERGENCY EYEWASH & SHOWER EQUIPMENT



MU-64101

## MU-64101 Emergency Eyewash Bottle

- Portable and easy to use
- Use for emergency eye wash
- Suitable for washing pollen, dust, sawdust, smoke
- Made in Taiwan

Product No.	Material	Dimensions
MU-64101	PE	8.2" x 2.7" (21 cm x 7 cm)



MU-64102

## MU-64102 Emergency Eyewash

- Wall mounted type
- Easy to open even with gloves
- Spray heads with protective covers
- Made in Taiwan

Product No.	Material	Diameter	Weight
MU-64102	Stainless Steel	Basin: 11.8" (30 cm)	1.85 kg



MU-64103

## MU-64103 Emergency Eyewash

- Pedestal mounted typ
- Easy to open even with gloves
- Spray heads with protective covers
- Made in Taiwan

Product No.	Material	Diameter
MU-64103	Stainless Steel	Basin: 11.8" (30 cm), Floor Flange: 9.8" (25 cm)



MU-64104

## MU-64104 Emergency Eyewash & Shower

- Pedestal mounted typ
- Easy to open even with gloves
- Spray heads with protective covers
- Copper alloy shower head
- Made in Taiwan

Product No.	Material	Diameter
MU-64104	Stainless Steel	Basin: 11.8" (30 cm), Floor Flange: 9.8" (25 cm)

# SAFETY HARNESS



## MU-81101

- 1 Dorsal D-Ring
- 5-Points adjustment at chest, thigh
- Shoulder straps and thigh straps of different colors
- CE EN361:2002
- Made in Taiwan



## MU-81102

- 1 Dorsal D-Ring
- 2 Front hooks for Lanyard parking
- 6-Points adjustment at chest, waist and thigh
- Shoulder straps and thigh straps of different colors
- CE EN361:2002
- Made in Taiwan



## MU-81103

- 1 Dorsal D-Ring
- 2 Side D-Ring for work positioning
- 6-Points adjustment at chest, waist and thigh
- Shoulder straps and thigh straps of different colors
- Padded waist and legs
- CE EN358:2000, EN361:2002
- Made in Taiwan



## MU-81104

- 1 Dorsal D-Ring
- 1 Front D-Ring
- 2 Side D-Ring for work positioning
- 6-Points adjustment at Shoulder, waist and thigh
- Shoulder straps and thigh straps of different colors
- Padded waist and legs
- CE EN358:2000, EN361:2002
- Made in Taiwan

# SAFETY HARNESS



## MU-81001

- 1 Dorsal D-Ring
- 2 Front hooks for lanyard parking
- 5-Points adjustment at chest, waist and thigh
- CE EN361:2002
- Made in Taiwan



## MU-81004

- 1 Dorsal D-Ring
- 2-Points adjustment at chest and thigh
- CE EN361:2002
- Made in Taiwan



## MU-81009

- 1 Dorsal D-Ring
- 2 Front hooks for lanyard parking
- 5-Points adjustment at chest and thigh
- CE EN361:2002
- Made in Taiwan



## MU-81012

- 1 Dorsal D-Ring
- 2 Side D-Ring for work positioning
- 6-Points adjustment at chest, waist and thigh
- Waist pad
- CE EN361:2002, EN358:1999
- Made in Taiwan

# RESCUE TRIPOD



MU-79001

Rescue Tripod

\*For rescue applications

Material:Aluminum

\*Height:1.35-2.40M

\*Diameter:1.14-2.1M

Wire Rope:

\*5mm x 20M

\*Lifting Capacity:100kg

\*EN795 CE0194

# RETRACTABLE LIFELINE



**MU-82001**



**MU-82003**



**MU-82005**



**MU-82006**

- PP Shell
- CE EN 361 Oval Karabiner
- CE EN 361 Swivel Snap Hook

Product No.	Cable	Dia. of wire	Length	Weight	Origin
MU-82001	Galvanize	4 mm	6 M	4.8 kg	Taiwan
MU-82002	Galvanize	4 mm	10 M	5 kg	Taiwan
MU-82003	Galvanize	4 mm	12 M	7 kg	Taiwan
MU-82004	Galvanize	4 mm	15 M	7.2 kg	Taiwan
MU-82005	Galvanize	4 mm	20 M	9.2 kg	Taiwan
MU-82006	Galvanize	4 mm	25 M	11.6 kg	Taiwan
MU-82007	Galvanize	4 mm	30 M	12 kg	Taiwan
MU-82008	Galvanize	4 mm	32 M	12 kg	Taiwan



**MU-82101**



**MU-82111**

- PP Shell
- CE EN 361 Oval Karabiner
- CE EN 361 Swivel Snap Hook

Product No.	Cable	Webbing Width	Length	Breaking Strength	Weight	Origin
MU-82101	Webbing	20 mm	5 M	1600kg up	2.1 kg	Taiwan
MU-82102	Webbing	20 mm	6 M	1600kg up	2.1 kg	Taiwan
MU-82111	Webbing	25 mm	10 M	2000kg up	4.9 kg	Taiwan
MU-82112	Webbing	25 mm	12 M	2000kg up	4.95 kg	Taiwan
MU-82113	Webbing	25 mm	12 M	2000kg up	5 kg	Taiwan

# KARABINER



**MU-80001**



**MU-80002**



**MU-80003**



**MU-80004**



**MU-80005**



**MU-80006**



**MU-80007**



**MU-80008**

Product No.	Opening	Weight	Standards	Lock Options	Origin
MU-80001	21mm	0.18kg	CE	Screw lock, Twist lock, Triple lock	Taiwan
MU-80002	24mm	0.23kg	CE	Screw lock, Twist lock, Triple lock	Taiwan
MU-80003	17mm	0.18kg	CE	Screw lock	Taiwan
MU-80004	27mm	0.22kg	CE	Screw lock, Twist lock, Triple lock	Taiwan
MU-80005	19mm	0.06kg	CE	Screw lock, Twist lock, Triple lock	Taiwan
MU-80006	19mm	0.08kg	CE	Screw lock, Twist lock, Triple lock	Taiwan
MU-80007	24mm	0.20kg		Screw lock, Twist lock, Triple lock	Taiwan
MU-80008	22mm	0.08kg	CE	Screw lock, Twist lock, Triple lock	Taiwan

# SNAP HOOK



**MU-80101**



**MU-80102**



**MU-80103**



**MU-80104**



**MU-80105**



**MU-80106**



**MU-80107**



**MU-80108**



**MU-80109**



**MU-80110**

Product No.	Opening	Weight	Standards	Origin
MU-80101	19mm	0.25kg	N/A	Taiwan
MU-80102	22mm	0.29kg	CE	Taiwan
MU-80103	24mm	0.13kg	CE	Taiwan
MU-80104	19mm	0.40kg	N/A	Taiwan
MU-80105	19mm	0.34kg	CE	Taiwan
MU-80106	52mm	0.50kg	CE	Taiwan
MU-80107	60mm	0.44kg	CE	Taiwan
MU-80108	110mm	0.92kg	CE	Taiwan
MU-80109	85mm	0.86kg	CE	Taiwan
MU-80110	19mm	0.28kg	N/A	Taiwan

# WARNING LIGHT



MU-03101

- 6pcs LED
- PC lens and PP base
- Size: 10\*18\*37cm(L\*W\*H)
- Solar Panel
- 2.4 V 1000mAH,AA Ni-MH rechargeable battery
- Color: amber, red, yellow
- Can fix to the traffic cone
- Photoswitch



MU-03102

Option: Metal Frame

- 4pcs LED
- PC lens and ABS base
- Height: 160mm, Delineation area Dia.:80mm
- Solar Panel
- 1.2V 1500mAH Ni-Cd rechargeable battery
- Color: amber, red, yellow, green, blue, white
- Can fix to the traffic cone
- Photoswitch



MU-03103

- 6pcs LED
- PC lens and metal base
- Solar Panel
- 2.4 V 1000mAH,AA Ni-MH rechargeable battery
- Color: amber, red, yellow
- Photoswitch



MU-03104

- 6pcs LED
- PC lens and PP base
- Size: 10\*18\*30 cm(L\*W\*H)
- Solar Panel
- 2\*1.2V 1500mAh Ni-MH Rechargeable Battery
- Color: Red, Yello & Green, Blue, White
- Photoswitch



MU-03105

- 6pcs LED
- PC lens and PP base
- Size: 10\*18\*30 cm(L\*W\*H)
- Solar Panel
- 2\*1.2V 1500mAh Ni-MH Rechargeable Battery
- Color: Red, amber, yellow
- Photoswitch



MU-03106

- UK Style
- 4pcs LED
- PS lens and ABS base
- Height: 160mm, Delineation area Dia.:80mm
- Solar Panel
- 1.2V 1500mAh Ni-MH rechargeable battery
- Color: Red, Yello & Green, Blue, White

# WARNING LIGHT



MU-03108

- 2pcs LED
- PC lens and PP base
- Size: 10\*18\*36.5cm (L\*W\*H)
- Power: 1 or 2pcs 4R25 6V battery
- Color: amber, red, yellow
- Photoswitch
- Steady and flash mode available



MU-03110

- 25pcs LED, 360° light
- PC Lens and PP base
- Power: 1 or 2pcs 4R25 6V battery
- Color: amber, red, yellow
- Photoswitch



MU-03114

- 2pcs LED
- PC Lens and Matel base
- Size: 10\*18\*36.5cm (L\*W\*H)
- Power: 1 or 2pcs 4R25 6V battery
- Lock metal bracket is availble
- Color: amber, red, yellow
- Photoswitch



MU-03115

- 2pcs LED
- PC Lens and PP base
- UK Style
- Steady and flash mode available
- Power: 1 or 2pcs 4R25 6V battery
- Color: Red, Yello & Green, Blue, White
- Photoswitch



MU-03117

- 6pcs LED, Option: 1 Bulb (MU-03118)
- PC Lens (360°) and PP Base
- Power: 1 or 2pcs 4R25 6V battery
- On/Off by rotation of the len
- Steady and flash mode available
- Color: Red, amber, yellow
- Metal bracket



MU-03121

- 10pcs LED
- Snake Warning Light
- Length: 200 cm, Diameter: 1 cm
- Function: flash-off
- 3pcs AA batteries (Not included)

# WARNING LIGHT



MU-03122

- 4pcs LED
- PC lens and PP base
- Size: 18\*10\*34 cm(L\*W\*H)
- Solar panel
- Power:1.2V 1500mAh Ni-MH battery
- Color: amber, red, yellow
- Metal handle
- Steady and flash mode available



MU-03123

- 2pcs LED
- Size: 19 \*9 \*33.5 cm (L\*W\*H)
- PC Lens and PP base
- Solar panel
- Power:1.2V 1500mAh Ni-MH battery
- Color: amber, red, yellow
- Metal handle



MU-03126



MU-03127



MU-03128



MU-03129

Product No.	Light Source	Lens	Size	Power Source	Function	Option
MU-03126	2pcs led	Double Lens, 360° rotation	24*18cm (Magnet base)	T ype D battery * 2pcs	Steady-Flash-Close	Photoswitch
MU-03127	2pcs led	Double Lens, 360° rotation	32*18cm (Handhold)	T ype D battery * 2pcs	Steady-Flash-Close	Photoswitch
MU-03128	2pcs led	Double Lens, 360° rotation	26*18cm	T ype D battery * 4pcs	Steady-Flash-Close	Photoswitch
MU-03129	2pcs led	Double Lens, 360° rotation	31*18cm	6V 4R25 battery * 2pcs	Steady-Flash-Close	Photoswitch

MU-03201

- Lamp type: LED, 4pcs
- PC lens, ABS grip
- Size:22\*11cm (L\*W)
- Solar Panel
- Power: Rechargeable battery 1.2V 1800mah
- Photoswitch
- Battery life: 150 hours of continuous use when fully charged
- The visible distance of the light is about 200 meters



MU-03201

• Made in Taiwan



MU-04101

- Folding plastic barrier
- Expand: 24cm to 250cm
  - Material: plastic
  - Height: 97cm
  - Weight: about 3.00kgs




MU-04102

- Heavy Duty Plastic Expandable Barrier
- Material: Durable plastic
  - Height: 0.965m
  - Open length: 3.5m
  - Close length: 0.42m
  - Base width: 0.4m
  - Total weight: 7.00kgs
  - Package : 1pc/carton
  - Wheels (2pcs normal, 2pcs with brake)



# CABLE PROTECTOR

## 3 Channels Cable Protector



MU-06101

3 Channels Cable Protector



MU-06102

3 Channels Left Corner Protector



MU-06103

3 Channels Right Corner Protector



MU-06104

3 Channels End Cap

Product No.	No. Channel	Material	Size(L*W*H)	Channels Width	Channels Heigh
MU-06101	3	Rubber base with yellow plastic lid	90 * 60 * 7.5cm	70, 55, 70mm	50mm
MU-06102	3	Rubber base with yellow plastic lid	62 * 60 * 7.5cm	70, 55, 70mm	50mm
MU-06103	3	Rubber base with yellow plastic lid	62 * 60 * 7.5cm	70, 55, 70mm	50mm
MU-06104	3	Rubber base with yellow plastic lid	20 * 60 * 7.5cm	70, 55, 70mm	50mm

## 5 Channels Cable Protector



MU-06105

5 Channels Cable Protector



MU-06106

5 Channels Left Corner Protector



MU-06107

5 Channels Right Corner Protector



MU-06108

5 Channels End Cap

Product No.	No. Channel	Material	Size(L*W*H)	Channels Width	Channels Heigh
MU-06105	5	Rubber base with yellow plastic lid	90 * 60 * 7.5cm	35mm	50mm
MU-06106	5	Rubber base with yellow plastic lid	62 * 60 * 7.5cm	35mm	50mm
MU-06107	5	Rubber base with yellow plastic lid	62 * 60 * 7.5cm	35mm	50mm
MU-06108	5	Rubber base with yellow plastic lid	20 * 60 * 7.5cm	35mm	50mm

# WARNING TRIANGLE



MU-47001



MU-47101



MU-47201

Product No.	Size	Color	Material	Shape	LED Design	Magnet
MU-47001	43*43*43cm	Red	ABS+PMMA+Iron	Equilateral Triangle	N/A	N/A
MU-47101	43*43*43cm	Red	ABS+PMMA+Iron	Equilateral Triangle	N/A	N/A
MU-47201	42*42*42cm	Red	Plastic+PMMA+Iron	Equilateral Triangle	LED Three-stage lighting control (1)high brightness (2)Low brightness (3)Flashing lights	With Magnet



# T-TOP BOLLARD



MU-09117



6kg base

- Height: 3.77 feet
- Weight: 13.22 lbs
- PVC black base

Product No.	Height	Post Dia	Base weight	Reflective tape	Base
MU-09117	1150mm	100mm	6kg	10+10cm	PVC Black Base



MU-09118

- Height: 3.77 feet
- Weight: 13.22 lbs
- PVC black base
- Made in Taiwan

Product No.	Height	Post Dia	Base weight	Reflective tape	Base
MU-09118	1150mm	100mm	6kg	24+24cm	PVC Black Base
MU-09119	1150mm	100mm	8kg	24+24cm	PVC Black Base

[www.musse.com.tw](http://www.musse.com.tw)

Phone: + 886-2-2901-2666

Fax: + 886-2-2901-6056

Email: [info@musse.com.tw](mailto:info@musse.com.tw)

Address: 4F., No.22, Ln. 899,  
Zhongzheng Rd., Xinzhuang Dist.,  
New Taipei City 242, Taiwan



WE CHAT



[WWW.MUSSE.COM.TW](http://WWW.MUSSE.COM.TW)